


AMERICAN

NOVEMBER • 1952

Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY

THEATRE
TELEVISION
INDUSTRIAL
AMATEUR



In This Issue . . .

- Cinerama—What It Is And How It Works
- Set Lighting For Best TV Film Results
- Beating The Variable Frame-line Bugaboo

25c

\$3.00 YEARLY




Set to shoot at "HIGH NOON"

Another popular Western on Du Pont "Superior" 2

"High Noon"—the superb Stanley Kramer production for United Artists starring Gary Cooper—is another of the year's outstanding pictures made on Du Pont Motion Picture Film.

On the set are Mr. Cooper, Director Fred Zinneman (seated in front of tripod), and the camera crew. The skillful lighting techniques used by Director of Cinematography Floyd Crosby, A.S.C. (behind lens hood), helped make this drama a smashing success.

For any motion picture or television film requirement . . . whether you need a negative taking or positive stock, duplicating film, high-fidelity sound recording or special-purpose film . . . there's a dependable Du Pont product to do the job. Indoors or outdoors, with high- or low-key lighting, under the best or the most trying conditions, these films give you sharp, brilliant screen or kinescope pictures . . . top-quality sound recording. E. I. du Pont de Nemours & Co. (Inc.), Photo Products Department, Wilmington 98, Delaware.




REG. U. S. PAT. OFF.

150th Anniversary


DU PONT MOTION PICTURE FILM

NEW YORK • LOS ANGELES • CHICAGO


BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY




PERFECT PERFORMER. 16mm 70-H camera. Seven film speeds, governor controlled—three-lens turret with positive-type viewfinder system—shutter stabilizer—hand crank, rewind knob—adapted for external magazine and electric motor.



TRUE PROFESSIONAL. 2709-Special. 16mm adaptation of the 35mm camera long popular with Hollywood film studios. Meets the needs of the television field. Four-lens turret accommodates all TTH Speed Panchrotal lenses. Famous B&H fixed-pilot-pin film movement. 170° adjustment shutter with automatic or manual dissolve. 200-, 400-, and 1000-foot B&H 35mm magazines may be adapted. 35mm version also available, Model 2709-D.



FAST, ACCURATE SPLICER. Automatic Film Splicing Machine. Built to very close tolerances to give quick, clean, accurate splices, strong as the film itself! Speedy operation means economy and efficiency. Splices negative or positive 8mm, 16mm and 35mm film.



RIGHT FOR TELEVISION USE. 300-watt pre-aligned lamp in new design, high intensity lamphouse provides perfect light for printing any type of 16mm film, fine grain, black-and-white or color. Three-way aperture for continuous printing—sound and picture separately or both together. Minimum speed, 60 feet per minute. Other models available.

Choice of professionals for—

TELEVISION • NEWSREELS • INDUSTRIAL FILMS

FOR more than 40 years the Bell & Howell name has stood for the finest among Hollywood experts. And today—for television and every other professional use—it is *still* the first choice of the men who know!

For further information about these and other B&H products for professional use write Bell & Howell Company, 7148 McCormick Road, Chicago 45.

GUARANTEED FOR LIFE

During life of the product, any defects in workmanship or materials will be remedied free (except transportation).

You buy for a lifetime when you buy

Bell & Howell

The most
important man
in our business
is
You....

The
Cinematographer



*This emblem is your
assurance of*

**CONTINUED
FAITHFUL
INTEREST**

in your work

Consolidated

FILM INDUSTRIES

959 N. SEWARD ST.
PHONE HO 9-1441

**HOLLYWOOD'S
ONLY COMPLETE**

**LABORATORY
SERVICE**

AMERICAN

Cinematographer

THE MAGAZINE OF MOTION PICTURE PHOTOGRAPHY
PUBLICATION OF AMERICAN SOCIETY OF CINEMATOGRAPHERS

ARTHUR E. GAVIN, *Editor*

Technical Editor, EMERY HUSE

GLENN R. KERSHNER, *Art Editor*

Circulation, MARGUERITE DUERR

EDITORIAL ADVISORY BOARD: Fred W. Jackman, A.S.C., John Arnold, A.S.C., Arthur Edeson, A.S.C., Lee Garmes, A.S.C., Charles Rosher, A.S.C., Leon Shamroy, A.S.C., Fred Gage, A.S.C., Dr. L. A. Jones, A.S.C., Dr. C. E. K. Mees, A.S.C.

Editorial and Business Office: 1782 N. Orange Dr., Hollywood 28, Calif.
Telephone: GRanite 2135

VOL. 33

NOVEMBER • 1952

NO. 11

CONTENTS

ARTICLES

- INDIA FILM TECHNICIANS FETED BY CINEMATOGRAPHERS—*By Alvin D. Roe* . . . 477
- THE STEEL TRAP—*By Arthur Rowan* . . . 478
- AND NOW . . . CINERAMA—*By John W. Boyle, ASC* . . . 480*
- WHY I USED THE GARUTSO LENS IN FILMING "THE FOUR POSTER"—
By Hal Mohr, ASC . . . 482
- VARIABLE SHUTTER FOR THE BOLEX H-16—*By Frederick Foster* . . . 484
- CAREFULLY BALANCED LIGHTING VITAL TO BEST TV FILM RESULTS—
By Philip Tannura, ASC . . . 486

AMATEUR CINEMATOGRAPHY

- IS YOUR FRAME LINE SHOWING?—*By Leo J. Heffernan* . . . 488
- AMATEUR'S 16mm FILM PROMOTES ANNUAL COMMUNITY CHEST DRIVE—
By Fred D. Pfening, Jr. . . . 490

FEATURES

- HOLLYWOOD BULLETIN BOARD . . . 466
- CLOSEUPS—NOTES AND EDITORIAL COMMENTS BY THE EDITOR . . . 470
- CINEMATOGRAPHY REVIEWS—PICTURES PREVIEWED LAST MONTH . . . 472
- TELEVISION FILM PRODUCTION—*By Leigh Allen* . . . 487
- CURRENT ASSIGNMENTS OF A.S.C. MEMBERS . . . 502
- WHAT'S NEW IN EQUIPMENT, ACCESSORIES, SERVICE . . . 506

ON THE COVER

THE PHOTOGRAPHIC CREW that shoots the weekly Burns and Allen television film, as seen by the players on the set. Director of Photography is Philip Tannura, ASC, (in checkered shirt, foreground), who photographs the show with two Mitchell 35mm cameras mounted on "crab" dollies. To his right is producer-director Ralph Levy. Using overhead lighting, thus freeing stage floor of cables, Tannura smooths out shadows in lower areas of sets through use of twin photospot lamps which serve as fill lights, shown here clamped to base of both camera dollies.—*Photo by Bud Graybill.*

AMERICAN CINEMATOGRAPHER, established 1920, is published monthly by the A. S. C. Agency, Inc., 1782 N. Orange Dr., Hollywood 28, Calif. Entered as second class matter Nov. 18, 1937, at the postoffice at Los Angeles, Calif., under act of March 3, 1879. SUBSCRIPTIONS: United States and Pan-American Union, \$3.00 per year; Canada, \$3.00 per year; Foreign, \$4.00. Single copies, 25 cents; back numbers, 30 cents; foreign single copies, 35 cents; back numbers, 40 cents. Advertising rates on application. Copyright 1952 by A. S. C. Agency, Inc.

the


and only...

Mitchell *

Professional Equipment for Professional Results


*World's Finest
16mm and 35mm Cameras!*

For over 25 years, Mitchell Cameras have set professional photographic standards for the Motion Picture Industry. These flawlessly designed, ruggedly constructed cameras have proven themselves in smooth, positive operation under the most exacting conditions. Today, as yesterday, the World's greatest films depend upon Mitchell—professional equipment for truly professional results.



16mm PROFESSIONAL

The 16mm Professional has the same proven Mitchell 35mm features—to bring 35mm quality to 16mm screens. Equipped with 16mm Mitchell blimp, this camera is a favorite of leading commercial producers for sound photography.



35mm BNC MODEL

The Mitchell 35mm Camera—standard equipment of major studios—is internationally known for dependability and performance. For superb photography, Mitchell 35's are available in BNC (blimp unnecessary); NC and Hi-Speed models to meet every requirement.

Mitchell Camera CORPORATION

666 WEST HARVARD STREET • GLENDALE 4, CALIFORNIA • CABLE ADDRESS: "MITCAMCO"

EASTERN REPRESENTATIVE: THEODORE ALTMAN • 521 FIFTH AVENUE • NEW YORK CITY 17 • MURRAY HILL 2-7038



85% of the motion pictures shown in theatres throughout the world are filmed with a Mitchell



Results are Amazing
with
GOERZ LENSES
for
MOVIES and TELEVISION

In each of these exacting fields, imagination, experience and up-to-date photographic equipment are essential.

Cinematographers and Television camera men the world over recognize the vital importance of selecting the *right* lens for the *right* job. That's why many of them enthusiastically proclaim GOERZ precision photo lenses as the finest available.

Remember...your lens is the heart of your camera. Choose it wisely and treasure it always. In this regard we recommend:

The APOGOR ANASTIGMAT

F:2.3


Focal length: 35, 50, and 75 mm.

The HYPAR WIDE ANGLE ANASTIGMAT


F:2.7

Focal length: 15 mm and longer

Whether your requirements are run-of-the-mill or something special, we are ready to serve you. For details, write Dept. AC-2.



Hollywood Bulletin Board



HERBERT BARRETT (r) succeeds Peter Mole, ASC, as president of SMPTE. Barrett is Gen. Precision Equip. Co. v.p.; Mole heads Mole-Richardson Co.

TOM TUTWILER, ASC, one of the industry's ace aerial cinematographers, while shooting air scenes for a sequence in a film for the "Terry and the Pirates" TV series, barely escaped what might have been a serious mid-air crash last month.

Shooting from a camera plane piloted by Paul Mantz, second plane which was being photographed suddenly swooped downward and beneath the camera plane, reportedly sideswiping the latter. Both planes limped back to their respec-

tive airfields despite moderate damage. Although seriously shaken up, none of the planes' occupants was injured.

COL. NATHAN LEVINSON, head of Warner Brothers' sound department, who died last month at the age of 64, was a member of the editorial board of the American Cinematographer magazine. With the advent of radio, he became internationally famous for his work in the field of sound. Later, with the development of the first sound films, Col. Levinson contributed several articles on the subject which were published in American Cinematographer.

OCTOBER SIXTH marked the 25th anniversary of the first "talking" picture produced in Hollywood—"The Jazz Singer," starring Al Jolson, and produced by Warner Brothers.

Two ASC members figured importantly in this production: Hal Mohr, who directed the photography, and Warren Lynch, who shot stills on the production.

Both men are still active cinematographers—Mohr, having recently completed the photography of "Member of the Wedding" at Columbia, and Lynch the photography of "Retreat Hell!" released by Warner Brothers.

JOHN R. BISHOP, who recently succeeded—
(Continued on Page 468)



JOHN ARNOLD, Hollywood Republican Comm. veepee, distributes "Ike" stickers to prospective ASC supporters of candidate during interval in recent ASC meet in Hollywood. Accepting sticker is Fred Jackman, while solid supporter John Boyle (standing) and Frank Zucker look on. In background is partial view of ASC's "Wall Of Fame," dedicated to Academy Award Winners.


New!

KINEVOX Remote Amplifier-Mixer for any sound application



**The BEST VALUE in
amplifier-mixers
available today!**

\$525⁰⁰



Note These Features . . .

- Hi Level mixing
- 4 input channels
- AC operated
- Complete in one case
- Sloping panel
- Cannon receptacles
- Meter reference point adjustment
- Monitor volume adjustment
- Inter-communication system
- DC heater supply
- 2-way buzzer system
- Shock-mounted pre-amplifier tubes
- Dialogue equalizer (4-position)

Performance data

- Source impedance—50, 125, 250, 500 or high Z
- Normal output level +10 V.U. into 600 ohm line
- Maximum output +10 db M 2% I.M.D.
- Maximum gain 90 db
- Frequency response ± 1 db from 30 cycles to 15 kc
- AC input 115-230 volts, 50/60 cycles
- Power consumption 35 watts.

A product of the manufacturers of KINEVOX PORTABLE SYNCHRONOUS MAGNETIC RECORDERS and associated equipment.

KINEVOX BUILDING
116 SO. HOLLYWOOD WAY

K I N E V O X
I N C O R P O R A T E D


B U R B A N K
C A L I F O R N I A

TELEPHONE: ROCKWELL 9-3291

New York - - - Mexico City - - - Rome - - - Bombay

CABLE ADDRESS: KINEVOX, BURBANK

CAMART PRODUCTS



★ CAMART TV MIKE BOOM

Rear handle for directional mike control. Sturdy 13' extension arm. Entire unit folds to fit in your car.

★ OPTICAL FX UNIT and PRISMS

For 16mm, 35mm, and TV cameras. Will reproduce multiple images in rotation. Excellent for TV, animation, or film commercials.

★ CAMART TRIPOD


Lightweight friction head tripod for semi-professional 16-35mm cameras. Smooth, well-balanced pan and tilt action. Rigid leg locks.

FOR STUDIO AND LOCATION

★ CAMART BLIMP for ARRIFLEX 35mm CAMERA

Geared follow focus control. Reflex viewing through the blimp eliminates parallax problem. 110 volt 60 cycle single phase sync motor. Geared footage counter. Accepts camera with 400' magazines.


★ CAMART BABY DOLLY



New advanced glide steering. Platform for assistant and accessories. Adjustable swivel seat. Rigid clamps for tripod legs. For tripod, baby tripod, and hi-hats. Size 35 x 46 inches, it comes apart.

★ CAMART CAMERA DOLLY

Professional motion picture or TV camera dolly. Two seats for operator and assistant. Geared lift for smooth operation of boom arm from 26" to seven feet. 30" width will go through standard door. Weight 350 pounds. Easily transported.



*Above equipment
available for
immediate delivery*

Write for Details

SALES • RENTALS • REPAIRS

THE CAMERA • MART INC.

MOTION PICTURE AND TV PRODUCTION EQUIPMENT

1845 BROADWAY

Phone: Circle 6-0930

Cable Address: CAMERAMART

BULLETIN BOARD

(Continued from Page 466)

ed Ray Wilkinson as head of the camera department at Paramount Studios, has been elected to Associate membership in the American Society of Cinematographers. Prior to Wilkinson's resignation, Bishop had been Wilkinson's assistant for many years.

ED OLSEN, cinematographer for Dudley Pictures Corp., has returned to Hollywood after completing a five-month's tour of the U.S., filming sports events for Dudley's series of theatrical and television films. Olsen uses a Cine Special camera, shoots 16mm Commercial Kodachrome, which is subsequently "blown up" to 35mm in the Trucolor.

JOSEPH RUTTENBERG, ASC, last month completed the photography of MGM's "Julius Caesar" in Technicolor, said to be the only color production on record shot almost entirely by aid of overhead illumination alone.


ACCORDING TO one Hollywood film laboratory head, magnetic sound—now in general use for recording in all major Hollywood studios—has put a dent in film lab business to the extent of 30%.

BENJAMIN BERG, ASC, Eclair camera representative in Hollywood, is readying an article for American Cinematographer describing the unique built-in exposure meter which is a feature of the new Eclair cameras.

OCTOBER 27TH meeting of American Society of Cinematographers featured an illustrated talk on color in photography by Ralph M. Evans, author of "An Introduction To Color." Mr. Evans is head of the Color Control Department at Eastman Kodak Company, Rochester, New York.

Among the other honored guests who attended the meeting were Toshio Ubukata and N. Takamura, of the Japanese motion picture industry in Tokyo, Mr. Harry Mimura, Japanese cinematographer, British cinematographer Lionel Wheeler, of London, and Frank Zucker, ASC, head of Camera Equipment Co.

AMONG ASC MEMBERS who attended the 72nd semi-annual convention of the SMPTE in Washington, D.C. last month were Peter Mole, who stepped down from the SMPTE presidency, handing the gavel to his successor, Herbert Barnett; John Boyle, Sidney Solow, Karl Freund, and Charles Handley.



**THE WORLD
LOOKS TO
HOUSTON-
FEARLESS
FOR
MOTION
PICTURE
EQUIPMENT**

Wherever motion picture cameras roll, you'll find Houston-Fearless equipment. For complete camera mobility in the studio and on location... for maximum efficiency and dependability in the processing lab... it's Houston-Fearless the World over.



Write for information on specially-built equipment for your specific needs.

The
**HOUSTON
FEARLESS**
Corporation

- DEVELOPING MACHINES • COLOR PRINTERS • FRICTION HEADS
- COLOR DEVELOPERS • DOLLIES • TRIPODS • PRINTERS • CRANES

11801 W. OLYMPIC BLVD • LOS ANGELES 64, CALIF.


"WORLD'S LARGEST MANUFACTURER OF MOTION PICTURE PROCESSING EQUIPMENT"

ARRIFLEX

35mm
Model 11

**A TRULY GREAT
CAMERA**

for TV, Newsreel
and commercial
films



For tough and trying assignments, ARRIFLEX 35 is in a class by itself. Reflex focusing through photographing lens while camera is operating—this is just one outstanding ARRIFLEX feature.

Equipped with bright, right-side-up image finder, $6\frac{1}{2} \times$ magnification. Solves all parallax problems. 3 lens turret. Variable speed motor built into handle operates from lightweight battery. Tachometer registering from 0 to 50 frames per second. Compact, lightweight for either tripod or hand-held filming. Takes 200' or 400' magazine. Write for free folder.

FRANK C. ZUCKER
CAMERA EQUIPMENT CO.
1600 BROADWAY NEW YORK CITY

Cinematography

Of Pictures Previewed in

REVIEWS

Hollywood Last Month

IT GROWS ON TREES — Photographed in black-and-white by Maury Gertsman, ASC, for Universal-International Pictures. Produced by Leonard Goldstein and directed by Arthur Lubin.

Troubles start for Polly Baxter (Irene Dunn) when she discovers two trees in her backyard growing \$5 and \$10 bills. Her husband (Dean Jagger) refuses to let her use the money, even though the middle-class family is harried by budget difficulties. From thereon to the final fadeout it's a hilarious picture, made pictorially interesting by Maury Gertsman's skillful execution of crane and dolly shot technique. The crane maneuvers in the opening sequence are exceptionally commendable—an excellent study for students of cinematography.

Thereafter, similar camera treatment is smooth and precise and is easily the standout photographic highlight of the picture. Commendable, too, is Gertsman's polished lighting of the interiors, which make up about 50% of the picture.

The daytime exteriors are marked by that smooth lighting which Gertsman has come to achieve in his pictures through skillful use of scrims and diffusers, and that "just right" balance of fill light that invariably gives his scenes a genuine natural aspect.

STOP, YOU'RE KILLING ME! — Photographed in Warner-Color by Ted McCord, ASC, for Warner Brothers. Produced by Louis F. Edelman and directed by Roy Del Ruth.

This is Ted McCord's first Warner-Color assignment, and it proves that McCord can get as much out of this new color system as any other Warner Brothers cinematographer who has used it to date. On the other hand, it may also prove that Warner Brothers has perfected Warner-Color to where it is now as simple to use as black-and-white film—which has been their aim.

Story is laid at time of demise of prohibition and has to do with Broderick Crawford, a racketeer of that era and his wife, Claire Trevor, and their experiences encountered in going "legit," as Crawford puts it.

Most of the scenes are staged indoors, even many of the "exteriors" and this gave McCord the advantage of controlled lighting—which is advantageous to any color production.

Also evident is fact Warners still are having a little trouble with their make-up for men for this color system, but

no doubt the solution is just a matter of time, judging from the way they have overcome other obstacles.

All in all it's another interesting study of Warner-Color, a process which the industry has been watching with keen interest.

APRIL IN PARIS — Photographed in Technicolor by Wilfred M. Cline, ASC, for Warner Brothers. Produced by William Jacobs and directed by David Butler.

Because most Technicolor musicals generally follow the same pat formula for photography, Wilfred Cline's work in this production will be viewed with considerable interest for the reason that his technique, particularly his Technicolor lighting, produces a markedly different result. Noticeable is the way he tones down lighting of the upper regions of sets and often on the players themselves. Then there is the interesting treatment of the shots of the chorus on stage. Normally, the lighting would come predominantly from direction of the footlights—often with unsatisfactory results. Cline has ignored the rule that says you *must* light it "such and such a way" and quite obviously has struck out along bold new paths, with interesting pictorial results.

Story's about singer Doris Day who gets invitation to European jaunt in error, and who is ultimately straightened out by government hireling Ray Bolger.

THE MAGIC BOX — Photographed in Technicolor by Jack Cardiff, ASC, for J. Arthur Rank. Produced and directed by Ronald Neam.

Jack Cardiff, or perhaps it was the art director, evidently decided on a pattern of soft, pastel coloring for the photography of this picture. At any rate it has been achieved with some sacrifice of quality in the photography, which is spotty—being marked by washed out faces in many scenes. This of course, could also be due to the processing by Technicolor's London laboratory, which doesn't always seem to achieve the same crisp quality and color fidelity as does Technicolor's labs in this country.

Otherwise, the techniques of camera handling and composition contribute substantially to keeping alive a somewhat loose story about William Friese-

(Continued on Page 506)

★ ARRIFLEX 35

MODEL II

The ideal 35mm movie camera for TV Newsreel, Industrial, Travel and Scientific Motion Picture Photography.

FAMOUS ARRIFLEX FEATURES:

- Reflex focusing through taking lens, even when camera is running.
- Bright erect image finder, 6 1/2 x magnification.
- "Follow-focus" without assistant.
- No parallax or other finder problems.
- Full frame focusing and viewing.
- 3-lens turret.
- Quick change geared film magazines (200 and 400 feet). No belts to connect.
- Variable speed motor built into handle.
- Tachometer registering from 0 to 50 frames per second.
- Compact, lightweight.
- Equally adaptable for tripod or handheld filming.
- Easily detachable matte box-filter holder.

The ★ **ARRIFLEX 35**
is easier and
faster to handle."

writes **THE CAMERA MART, INC.,**

**FAMOUS NEW YORK CINE AND TV EQUIPMENT
DEALER**

"From the very first time we saw the Arriflex 35, we were struck by the numerous advantages of the camera. Naturally, these cameras had to be in our stock.


"Cameramen and producers who visited us showed immediate interest, and it wasn't very long before the Arriflex 35 proved itself in productions all over the world. The late Robert Flaherty bought two from us with which he filmed 'The Louisiana Story.'

"The Arriflex 35 is easier and faster to handle with its reflex focusing, direct viewing, simple threading, and setting up in general. Its lightweight construction and compactness are blessings to the cameramen who have heretofore been struggling with more cumbersome equipment. The Arriflex has proved itself rugged and tough enough for any conditions which may arise on location.

"For our money, the Arriflex 35 is first choice for production filming."

Available at Leading Dealers

Write for Latest Literature and Price List



COATED LENSES in ARRIFLEX MOUNTS

28mm f/2 Schneider Xenon*	90mm f/3.5 Kilar
50mm f/2 Schneider Xenon*	135mm f/3.8 Kilar
75mm f/2 Schneider Xenon*	150mm f/3.5 Kilar
	300mm f/5.6 Kilar
	400mm f/5.6 Kilar

*With Follow-Focus Grips.

ORIGINAL ARRIFLEX ACCESSORIES

LENS EXTENSION TUBE for close-up filming and cinemacrography

HI-HAT for mounting Arriflex 35 on standard tripods

SHOULDER-POD for vibration-free, hand-held filming

BATTERY — 16 Volt, lightweight, non-spill, with carrying case and shoulder strap

BATTERY CHARGER

THE NEW ★ ARRIFLEX 35 TRIPOD

- Sturdy, rugged and rock steady. Weighs only 19 lbs.
- Large universal ball-joint for leveling.
- Velvet smooth pan and tilt action with separate locks.
- Extra long handle for under-arm control.
- Spirit level.
- Can be used with all professional cameras.
- Leather boot available.



K L I N G
S O L E A G E N T S

PHOTO SUPPLY CORPORATION

235 FOURTH AVE., NEW YORK 3, N. Y. • GRamercy 5-1120

WEST COAST REPRESENTATIVE: ABBOTT SYDNEY, 727 NORTH WESTERN AVE., LOS ANGELES 29, CALIFORNIA • GLADSTONE 6394



Attention!
BOLEX H16
OWNERS
To One of the
World's Finest
Cameras, You
May Now Add

A VARIABLE SHUTTER UNIT

- Full range from open to closed at any camera speed.
- 3 convenient intermediate stops, 3/4 open, 1/2 open and 1/4 open, enable you to expose from 1/18 sec. at true 8 f.p.s. at open to 1/560 sec. at 1/4 open at true 64 f.p.s.
- Make complete transition lap dissolves any-time.
- Fade-ins and fade-outs at your fingertips.
- Neutral density filters no longer needed when filming outdoors with fast film.
- Audible warning sound when shutter in closed position when filming forward or hand-cranking either way.
- Avail yourself of the many other advantages obtainable only with a controlled variable shutter speed.
- Give your next movies that sparkling professional touch.

PRICES (within U.S.)

Cameras with inside frame counter... \$99.60
Cameras with outside frame counter... \$109.80
Price includes camera transportation back to you, insurance coverage, and one year guarantee.

(Local and state taxes where applicable, extra)

Send for free detailed informative booklet, "Variable Shutter Units for Bolex H16"

**TULLIO
PELLEGRINI**

1545 Lombard Street
San Francisco 23, Calif.



AKELEY CAMERA AND INSTRUMENT CORP.

175 Varick Street

New York 14, New York

— Established 1914 —

Designers and manufacturers of silent and sound motion picture cameras with 225° shutter opening, (288° shutter opening for television use), gyro tripods and precision instruments. Complete engineering and machine shop facilities for experimental work, model and production runs.

INQUIRIES INVITED

The Ready-Eddy is here!

AN IDEAL CHRISTMAS PRESENT!


1001 Ready Sound-Film
Editing Data:
• Footage • Frame Count
• Screen Time • 35mm and
16mm equivalents.

Plastic computer for every one in movies and TV, from script to screen.

Ready-Eddy \$2.00
Carrying Case50
Mailing cost10

WRITE or ask your dealer.

READY-EDDY, Sandy Hook, Conn.



CLOSEUPS

Notes and
editorial comment

by the editor

Just to remind readers that American Cinematographer celebrates its 32nd anniversary with this issue, AC undergoes a change in cover format this month. Dominant is the internationally recognized symbol of the screen which henceforth will frame the cover illustration each month.

Thirty-two years—384 consecutive issues with never a miss—is a proud record in this field, one unequaled by any other industry publication. This record would not have been possible without the cooperation and enthusiastic support of AC's many advertisers and thousands of subscribers. The avid devotion of both is borne out by the record of many advertisers who have appeared regularly in the magazine since its inception, and of the many readers who long have been devoted subscribers.

Today, American Cinematographer is read the world over wherever motion pictures are made. Each issue not only goes into the homes and offices of hundreds of directors of photography, camera department heads, film producers, film laboratories, etc., in Hollywood, but reaches the cameramen, producers and processors of motion pictures in the vast television, industrial film and 16mm film fields—not to mention its wide following among the world's advanced amateur movie makers.

As the recognized international "Magazine of Motion Picture Photography," it has, more than any other industry medium, welded motion picture makers in all parts of the world into one common fraternity, which monthly looks to American Cinematographer for authentic news of latest technical developments in the production of 35mm and 16mm motion pictures.

★

One of the more flagrant violations of screen credit ethics, which seems never to receive serious challenge, is the studios' repeated practice of slighting directors of photography who contribute a substantial share of the photography of a feature production as 2nd unit men or location and background plate photographers.

We see another instance of this with the release of 20th Century-Fox's "Snows of Kilimanjaro." Here is one of the standout color productions of the year in which the photography is superb from start to finish. Leon Shamroy, ASC, receives the sole screen credit for

directing the photography; yet we feel that the contribution which Charles G. Clarke, ASC, made to this picture in the way of foreign location shots of Africa, Paris and the Riviera is too important and extensive to go uncredited. Without this footage, there certainly could not have been a production — nothing to which to tie Shamroy's exquisite studio photography. Both men have turned in superlative color compositions—Clarke the foreign location exteriors, Shamroy the beautiful portraiture of the principal players and the supporting continuity shots.

Despite the studio's oversight in not crediting Clarke for his photography, it is notable that it saw fit to give dual credits for other technical contributions to the picture, namely that of art direction, set decoration and sound. In addition, there is a credit for the special photographic effects of Ray Kellogg.

Already, some in the industry who have a voice in the annual awards voting have stated they could not honestly nominate the picture for a photographic award in view of its present incomplete credit for camera work; they also point out that the existing situation could very well prove a deterrent to the nomination of the picture for photographic achievement.

It is hoped that the matter will receive the attention of the Academy in due time, and that the committee on nominations will endeavor to have the producers of "Snows" amend the photographic credit well in advance of nominations time.

★

An interesting folder came in the mail recently from Princeton Film Center, Incorporated, Princeton, New Jersey, describing a number of 16 millimeter color and sound films available rental-free to groups. It is interesting for two reasons: 1) the films are ideal material for cine club programs; and 2), the titles suggest filming ideas for amateurs in search of good movie making material, viz: "Canaries Are Fun," about raising canaries in the home; "On The Track," showing the vital role of our railroads; "Whistle In The Night," about romance of the railroads. Eight other subjects listed are equally inspiring for the imaginative amateur movie maker. A screening of the films undoubtedly will give cine amateurs more concrete filming suggestions.

—A.E.G.

Announcing


THE NEW AURICON 'SUPER 1200'

16MM SOUND-ON-FILM
CAMERA * * * Featuring

- ★ Instant ground-glass focusing through the Camera lens, shows the exact frame and focus at all distances.
- ★ Self-blipped for completely quiet studio operation.
- ★ 1200 foot film capacity for 33 minutes of recording.
- ★ Variable shutter for fades, dissolves or exposure control.
- ★ Two independent finder systems in addition to ground-glass reflex focusing; one finder for studio use, the other for telephoto work.
- ★ \$4,315.65 complete for "High Fidelity" 16mm single-system sound-on-film, with Amplifier, Microphone, and three Carrying Cases (lenses additional). Also available without sound equipment.
- ★ Sold with 30 day money-back Guarantee. RCA licensed sound. Write today for further information.

BERNDT-BACH, Inc.

**7381 BEVERLY BOULEVARD
LOS ANGELES 36, CALIF.**



The quiet operation of the Auricon "Super 1200" is silent proof of precision design. Its only equal as a superb photographic instrument is another Auricon "Super 1200".

**Auricon
Hollywood**



There's NO Color like ANSCO COLOR

NEGATIVE POSITIVE PROCESS

...for Screen Quality!

YES,
ALL-AROUND
QUALITY,
THAT INCLUDES

- *Truer Color!*
- *Excellent Screen Steadiness!*
- *Finer Grain!*
- *Superior Definition!*
- *Greater Brilliance and Depth!*

...for Production Economies!

SAVE by using your present standard 35mm cameras, which obtain *excellent* results with Ansco Color Negative-Positive Color!

SAVE by doing your own processing. With minor modifications in standard black and white processing equipment you can process color negatives in 90 minutes!

SAVE by seeing color rushes within hours. No expensive delays in holding sets or keeping casts on location while waiting to see results!

COMING

Watch for M-G-M's *second* full-length feature on Ansco Color! It's "Vaquero", starring Ava Gardner and Robert Taylor, with Howard Keel! To be released early in '53!


ANSCO

NEW YORK • HOLLYWOOD • CHICAGO • BINGHAMTON
A Division of General Aniline & Film Corporation. "From Research to Reality."

CAMERETTE 35 & 16/35

THE MOST VERSATILE CAMERA

IN
THE
WORLD



Richard Leacock using the Camerette in the Bolivian Andes, altitude 18,040 feet, on the film, YEARS OF CHANGE, produced by Affiliated Film Producers, Inc., for the U.S. State Department.

The Camerette, 35 and 16/35, with its functional shape, precision movement, and rugged but light weight construction, incorporates the newest ideas in camera design.

Reflex viewing through the taking lens at all times... Instantaneous magazine loading... Divergent three lens turret... The only reflex motion picture camera able to use short focal length lenses—18.5mm to 300mm... Adjustable shutter—200° to 40°... 6/8 volt motor... 110 and 220 synchronous motors... Complete accessory equipment and focusing mounts for all principal makes of lenses...

AND the only camera that can use either 16mm or 35mm film... the changeover is made in a matter of seconds by simply changing the automatic film gate magazine... The Camerette 16/35 has all the professional advantages of the standard 35mm model, plus the ability to use both film sizes.


We have used the CAMERETTE for three years and have found it to be the most versatile production camera we have ever seen.

In 1950 we shot fifty thousand feet of film under the most trying conditions, from jungle heat to the rarefied atmosphere of eight thousand feet above sea level in the Andes. We used it as a hand-held camera, on a tripod, and to photograph living organisms under a microscope.

We can recommend the camera unreservedly.

Willard Van Dyke


WILLARD VAN DYKE
AFFILIATED FILM PRODUCERS, INC.
164 East 38th Street
New York 16, N.Y.



Camerette 35 & 16/35

patents coutant-mathot • manufactured by Eclair, Paris

for descriptive brochure write U.S. representative **Benjamin Berg Agency** • 1366 N. Van Ness, Hollywood




THE MAURER 16_{mm} IN ROME




When Ken Richter makes a foreign-location documentary for a firm like Reed and Barton, Silversmiths . . . you can expect to find the Maurer "16" on the job. To the public, this sequence illustrates "The Romance of Silver Design." To the professional it proves the better results achieved with the camera designed for professional use . . . the Maurer "16."


Ken Richter at work in Cinecitta Studios, Rome, on Roman Banquet scene.



THE MODEL F PRIME RECORDING OPTICAL SYSTEM AND GALVANOMETER. A complete light modulating unit for recording sound photographically upon standard film, requires no special servicing or spare parts (other than recording lamp).



THE MAURER 16MM., designed specifically for professional use, equipped with precision high-power focusing and view-finder. Standard equipment includes: 235° dissolving shutter, automatic fade control, view finder, sunshade and filter holder, one 400-foot gear-driven film magazine, a 60-cycle 115-volt synchronous motor, one 8-frame handcrank, power cable and a lightweight carrying case.



THE 16MM. SOUND-ON-FILM RECORDING SYSTEM combines the highest fidelity in 16mm. recording practice with wide flexibility and extreme simplicity of operation. For details on this and other MAURER equipment, write:

maurer *means finer motion pictures!*

J. A. MAURER, INC.

37-01 31st Street, Long Island City 1, New York
1107 South Robertson Blvd., Los Angeles 35, California

16mm
maurer


CABLE ADDRESS:
JAMAURER



VISITORS as well as ASC members were interested listeners during demonstration and discussion of the Vistascope process, conducted by Dr. Charles R. Daily, ASC, of Paramount Studios.



CHARLES G. CLARKE, president of American Society of Cinematographers, welcomes technical men from India's motion picture industry to ASC's November meeting. From l to r are: Minoo Katrak, B. P. Divecha, Clarke, M. R. Archarekar, D. Subramanyam, and B. N. Sircar.



INDIA cinematographer B. P. Divecha (left foreground) and sound technician Minoo Katrak listen to Ernest Laszlo, ASC, discuss fine points of the Mitchell 35mm studio camera, which was demonstrated in conjunction with unique "crab" dolly designed by Steve Krilanovich (far left).



SIDNEY SOLOW, ASC, (left) demonstrated new automatic film splicer to visitors. Watching demonstration (r to l) are D. Subramanyam, Minoo Katrak, Fred Jackman, Jr., ASC, and Peverell Marley, ASC.

India Film Technicians Feted By Cinematographers

Technical talks and equipment demonstrations augment dinner given by American Society of Cinematographers for visiting technicians of India's motion picture industry.

By ALVIN D. ROE

THE AMERICAN SOCIETY OF CINEMATOGRAPHERS, whose eminent members photograph most of the theatre and television motion pictures made in Hollywood, were hosts to the technical contingent of the 14-member delegation of distinguished artists, producers and technicians from the motion picture industry of India during their visit to Hollywood last month.


Named by the India motion picture industry to represent the film business of their country for a 4-week tour of the United States were five technical men, in addition to four of the country's most beautiful and talented women stars and three leading male stars. The five men hosted by the ASC were: B. P. Divecha, chief cameraman for the Kardar Studios in Bombay; D. Subramanyam, of Madras, producer, director and recently

president of the South Indian Film Chamber of Commerce; M. R. Archarekar, motion picture art director from Bombay; Minoo Katrak, Bombay, sound recording engineer; and B. N. Sircar, Indian motion picture producer and exhibitor.

Following a dinner at the Society's clubhouse in Hollywood, ASC president Charles G. Clarke formally introduced the honored Indian guests, each of whom addressed the gathering briefly. For the technicians, it was the culmination of a long anticipated opportunity to meet in person the many cameramen and cinematographic technicians whom they had come to know through American Cinematographer magazine.


Each of the visitors told something of his experiences in making motion

(Continued on Page 503)



THE STEEL BANK VAULT from which Joseph Cotten steals a million dollars prior to fleeing to Brazil. Colortrans, Juniors and Photofloods operating on house current, furnished the illumination used by Ernest Laszlo in photographing this dramatic scene.

BESIDES BEING ONE OF the season's better motion pictures, "The Steel Trap" also is noted for the fact almost 98 per cent of it was filmed away from the studio, in actual locales. It is embellished with slick documentary treatment in the photography by cinematographer Ernest Laszlo, ASC, a quality which enhances the story appreciably, imparting as it does the illusion one is actually witnessing the happenings surrounding the absconding by a trusted bank executive of a million dollars—the crux of the story.



Ernest Laszlo, ASC

Joseph Cotten is the executive who suddenly is tempted to steal the bank's funds and flee with his wife and child to the safety of extradition-proof Brazil. Encountering everything short of actual apprehension in his two-day week-end flight attempt, he changes his mind when his wife discovers his plot, and manages to return the money to the bank just moments before opening time the following Monday morning.

This Thor Production, under the guidance of producer Bert Friedlob and given the skillful direction of Andrew Stone, utilizes such actual locales as city streets, interior of banks and office buildings, an airport, and hotel rooms. Only one studio set was used—that of the hotel bedroom where Cotten's wife, Theresa Wright, discovers he's a thief and leaves him. Shooting this sequence required but one day, and represents the only studio filming in the entire picture.

The actual locations used were in Los Angeles, and in New Orleans where Cotten and Miss Wright try vainly to make plane connections for Brazil. The Los Angeles locations included several downtown city streets; marriage license bureau

in the City Hall; interior of the International Airport; TWA's downtown office; Alexandria Hotel; Markham Building; a barber shop; interior of a TWA plane, and a dwelling in San Fernando Valley. In New Orleans, the airport, TWA office, Antoine's famous restaurant, and several city streets served for locations.

Photographing a picture in such off the lot sets as enumerated here might be considered an easier chore than shooting in the studio. Actually, it is not. The risk for the cameraman is greater because, unlike in the studio where lighting can be controlled and there is unlimited assistance in the way of helpers, equipment, etc., he faces in locales outside the studio a multitude of unlooked for factors such as changing sunlight on exteriors, inadequate lighting equipment for his interiors, lack of camera movement which wild walls ordinarily provide in the studio, and the need to balance interior lighting with daylight coming through windows and doors. Actually, it would seem that shooting under such conditions would require more equipment and a greater crew than when shooting in the studio on the sound stage. But in this instance, Ernest Laszlo worked with perhaps the smallest crew ever to photograph a feature production on location. Transportation of equipment and crew to the various location sites was either by a single truck (in Los Angeles) or by plane, as when traveling to New Orleans. Thus, limited space and the shortage of accommodations for camera, lighting and grip equipment made it necessary for Laszlo to operate with a crew consisting of only two grips, three electricians, plus regular camera crew.

The lighting equipment consisted of Colortrans, Juniors and Baby Juniors. Space and personnel limitations also ruled out the use of a generator. Power for the lights, camera and sound equipment was invariably supplied by domestic power lines; and when this wasn't feasible, as when shooting the taxi interiors, interior of plane, and several exteriors, power was supplied by a number of storage batteries sufficient to provide 110-volt current.

(Continued on Page 496)

Documentary photography
lends realism and dramatic punch to

THE STEEL TRAP

... filmed almost entirely
in actual locales.

By ARTHUR ROWAN



THE CONVENIENCE of "wild walls" was sorely missed on more than one occasion by Laszlo and his camera crew when shooting interiors such as this in TWA's ticket office in downtown Los Angeles.



TWO TAXIS were tied together to enable shooting the running taxi shots in "The Steel Trap." Players, camera and cameramen are in the second taxi; storage batteries and sound recording equipment in the first.



IN SHOOTING interiors in the TWA plane, Laszlo employed Colortrans and a Junior for key light and got exceptional results. For day shots, tinted plexiglass covered the windows to permit balancing the light.



DESPITE CAVERNOUS interior of the bank, Laszlo accomplished excellent photographic results with limited lighting equipment and use of the banks' houselighting power lines. Most shots, of course, were at close range.



JUST ONE of many interiors that required use of tinted plexiglass on windows and doors to permit balancing the interior illumination with the daylight coming through the openings—the TWA office in New Orleans.



LARGE WINDOWS in some of the interiors did not deter cinematographer Laszlo in aiming for realistic shots such as this of couple in Western Union office in New Orleans. Filtering the window light made the shot possible.




DIAGRAM shows course of a Cinerama film production from camera to projection. At bottom, scene is photographed with three-lensed camera, which records reality on three separate 35mm films. In projection, films are screened by three projectors—one in center and one at each side. The three film images become one on the large horizontal curved screen, and give the illusion of multi-dimensional reality without recourse to Polaroid spectacles. Stereophonic sound is recorded magnetically through five or more mikes, which produce a multiple sound track. This is reproduced through a like number of speakers which surround the screen.

THE LONG HERALDED Cinerama made good at its first public presentation last month at the Broadway Theatre in New York City. The successful premiere showing marked another of those periodical innovations which have punctuated the history of the motion picture industry over the years, and like the others before it, is destined to have a major effect on its future.

As was everyone else in the motion picture industry who attended the premiere of Cinerama, I was tremendously impressed with its possibilities. Cinerama is not a stereo film system, nor does its inventor call it a three-dimension system. It is, instead, a means of bringing vastness to the screen without distortion or loss of definition and to create a sense of space through a larger, new type of screen, which fills the proscenium arch of the theatre. Sir Alexander Korda has described it most aptly as "... one of the most important inventions in the history of films. It gives the complete illusion of three dimension effects in color and sound without the use of glasses."

Lowell Thomas, one of the important men associated with the new process describes Cinerama as "an adventure with a new medium which I believe will revolutionize the technique of motion picture story telling. From the beginning, pictures have been restricted by space. A painting is hemmed in by its frame, so to speak. Conventional motion pictures are confined to a narrow screen. You see only what is straight ahead, while normal vision includes what you see out of the corners of the eyes. Someone has said that movies are like looking through a keyhole. Cinerama breaks out of the sides of the ordinary screen, and presents nearly the scope of normal vision and hearing."

Cinerama is the result of a brilliant idea, 15 years of untiring research and the expenditure of millions of dollars. Its inventor, Fred Waller, developed the now famous gunnery trainer used by the armed forces in World War II. It saved an estimated 350,000 casualties. In it, four trainees sat in a large room in front of a huge spherical screen on which five synchronized projectors threw movies of enemy planes that dove on the novice gunners every which way.

And Now... CINERAMA

Just as sound changed the course of motion pictures 25 years ago, Cinerama promises to broaden the scope of feature films. What it is and how it works is described here by one who witnessed its New York premiere.

By JOHN W. BOYLE, ASC

In a realistic three-dimension atmosphere, each gunner fired an electronic machine gun at his adversaries. The gun recorded the hits, instead of firing bullets. This Waller trainer was the final step along the road to Cinerama.

The theory behind it dates back to Waller's early days when, as head of Paramount Studio's trick film department, he produced everything from realistic model shipwrecks to convertible carriage pumpkins for Cinderella. Waller figured that if he could devise cameras and projectors that would duplicate most of the normal vision as seen by a pair of human eyes, the human brain would do the rest. His first camera was an eleven-lensed monster which produced film for eleven matching projectors to throw on a curved screen. "It was crude," says Waller, "but it gave the audience an experience, and I knew I was on my way."

The illusion of reality created by Cinerama is closely linked to the functions of the retina of the human eye and the drum of the human ear. The film process attains the effects of real life by surrounding the viewer completely with action and sound in an environment. The picture Cinerama produces is almost a complete half-circle, 146 degrees wide and 55 degrees high—pretty close to two human eyes which cover about 180 degrees and 90 degrees. Naturally, no lens known can cover such a field without excessive distortion. Hence, the Cinerama camera has three 27mm lenses—no bigger than the lens of your own eye—set at 48 degrees angle. Each records a third of the picture's total width as seen on the screen, exposing its own strip of 35mm film. The lenses are arranged on a special mount in the camera like a miniature three-section picture frame. The one in the center points straight ahead. Those on each side point in, so that the left lens records the right side of the picture and the one on the right takes the left side. A single, rotating shutter, that whirls in front of the lenses at the point where their lines of view cross, makes foolproof simultaneous exposures on each of the films. Diaphragm controls adjust settings on all three lenses simultaneously.

Individual Cinerama film frames are one-half again standard height—in other words, 6 perforations high instead of the standard four—and since three film strips are used, this means that the total amount of film used is $4\frac{1}{2}$ times as much as normally used in filming a standard 35mm feature production. To merge the three film strips into a single picture on the screen, measuring 51 feet in width and 25 feet high, the process is reversed. Three 35mm projectors in separate booths throw the images from




HARRY SQUIRE, cameraman, (left) and **Bob Bendick** (right) co-producer of "This Is Cinerama," which introduces the wonders of the new Cinerama process to the world, pose briefly before photographing a scene with the special 3-lensed Cinerama camera, shown at far left. Note the three film chambers which hold the three separate films used in Cinerama photography; also the gunsight finder at top of camera used in keeping the camera centered on long shot action.

each film out onto the screen. The projector on the right fills the left third of the screen; the one on the left, the right third; and the one in the center fills the center portion. Since the screen is curved, one would naturally expect distortion and fuzziness to result; but this does not happen. Great depth of focus of the projector lenses keep the picture sharp. Distortion, caused by reflected light bouncing off the screen, is licked by the screen's special design which is made up of 1100 overlapping vertical


strips of perforated tape set at angles like the slats of a vertical Venetian blind, instead of the one-piece screen used in conventional motion pictures. Reflected light bounces off a strip and escapes behind the strip directly in front of it.

One of the problems that had to be overcome in the development of Cinerama was how to put the images of three separate film strips on the screen side by side without lines of demarcation show-

(Continued on Page 498)



FILMING one of the scenes from "Aida" performed by the world renowned LaScala Opera Company in Milan, Italy, for a sequence in "This Is Cinerama." The three-lensed camera is mounted on the parallel in center foreground. There were not enough studio lights in all Italy to illuminate the huge stage for color film, so additional lights and generators were flown to Italy from England.



DIRECTOR OF PHOTOGRAPHY Hal Mohr, ASC, directs the placement of light on Rex Harrison for a scene for "The Four Poster," which Mohr filmed entirely with Garutso balanced lenses.

Why I Used The Garutso Lens In Filming "The Four Poster"

Shooting sustained action in lengthy takes required a lens able to keep the major portion of the set in sharp focus at all times without need for excessive illumination.

By HAL MOHR, ASC


THE FOUR POSTER" is the second Stanley Kramer production to be photographed with the Garutso balanced lens. With the production staged in a single setting, as in the stage play from which the screenplay was adapted, and using a cast of essentially stage players, it was natural that the picture should be planned, staged and photographed to some extent in the manner of a stage play, utilizing continuous takes of sustained action.

This meant, of course, that the players would require the full scope of the set in which to move about during filming; that often one player would be well toward the front of the set in extreme closeup while the other would be fully up stage. Shooting the action in lengthy, continuous takes without the benefit of cuts to closeups, etc., meant that the camera lens used would have to keep the major portion of the set in sharp focus at all times, and that only a highly efficient depth of focus lens could accomplish this and still permit the use of nominal low key lighting. To have followed the conventional method of employing the usual lenses, stopped down to gain depth, would mean building up the illumination level beyond the point where it could any longer be properly controlled, and would therefore not complement the mood of the story.


Deep focus photography permits greater flexibility in the staging of scenes; it not only allows greater freedom of movement to the director and actors, but also affords the director of photography the means of accomplishing daring and exciting pictorial compositions. The deep focus technique, therefore, was ideally suited to the adaptation of "The Four Poster" to the screen.

Here was a picture in which the entire action takes place on a single set, with only two players, both invariably together in every scene. To permit them

(Continued on Page 500)



HAL MOHR, who has made numerous experiments with Garutso balanced lenses, says added depth of focus achieved without increasing lighting can effect economies in production by reducing number of camera setups required. Above graphs show comparative increase in depth of field achieved



by Garutso lens reconstruction method, applied to 5" Ektar still camera lens, according to Robert B. King, Prof. of Physics, Calif. Institute of Technology. Left chart shows correction at 0°, right chart at 18°. The standard lens graph line is indicated by X, the corrected lens by O.

EASTMAN


PROFESSIONAL
MOTION PICTURE
FILMS

W. J. GERMAN, INC.

Fort Lee

Chicago

Hollywood



ARROW indicates external control by which shutter opening may be adjusted manually from "open" to "closed" and to three intermediate points; also closed gradually during filming to produce fades. Device is a special installation and is not a part of standard Bolex H-16 cameras.

Variable Shutter For The Bolex H-16

Makes possible smooth fades and lap-dissolves, fast - action filming, and gives new scope to a popular camera.

By FREDERICK FOSTER

by owners from all over the globe. "Adding a variable shutter to the Bolex H-16," says Pellegrini, "makes Bolex the 'Cadillac' of cameras in the medium-price field."

Here are some of the advantages which his variable shutter gives to Bolex H-16 camera owners: the ability to make fadeins and fadeouts and lap-dissolves; to achieve smooth changes of exposure when panning from light to dark areas in one take; to get sharper action pictures with faster shutter speeds; and eliminating the need for neutral density filters to cut down the light when using fast film out of doors.

All professional 35mm motion picture cameras, such as those used in the studios and for newsreel and some television film production have variable shutters. The general mechanical structure of a typical motion picture camera shutter is a disc—that is, it is a portion of a disc—which rotates behind the lens and before the film in the camera. It is synchronized with the camera movement so that it is closed during the interval that the film is being moved forward one frame and made ready for the next exposure. The next exposure takes place when the shutter continues to revolve, so that its open portion exposes light to the film as it comes through the lens, and for the interval permitted by the size of the "open portion" of the shutter. Normally, most cine cameras have one shutter speed because the shutter is "fixed"—that is, it is not variable; the open segment is always the same so that the interval of exposure is 1/30, 1/27, 1/40, etc., of a second, depending upon the make and model of the camera. Why there should be a difference of shutter speed between different cameras is probably due to the difference in the camera mechanisms and also to the fact the industry never settled upon a standard for all cine cameras.

Variable shutters are essentially of the same type construction except that two disc sections are employed, one stationary and one rotatable on the

shutter shaft, so that various degrees of shutter opening can be produced simply by manual adjustment of a lever which extends outside the camera case, and which moves one shutter segment to change the width of the opening. What results is a change in the amount of light reaching the film, or—when the shutter opening is open or closed progressively as the camera exposes the film, a fade is made. By making a fade-out, then winding back the film (with lens capped) the exact number of frames occupied by the fadeout, and subsequently (with lens cap removed) starting the camera and gradually opening the shutter, a lap-dissolve is produced.

In making extensive panning shots where the camera lens moves progressively from a light to a dark area in a scene, unless it is possible to open up the shutter as the dark area is entered, the latter will be underexposed and some if not all the important detail will be lost. In such instances, the professional cameraman progressively opens his shutter to admit more light per exposure as the dark area is reached. While the shutter speed has been changed, correct exposure has been attained throughout the entire scene without otherwise affecting the pictorial result.

With a variable shutter on a motion picture camera, the photographer has all the flexibility afforded by the still camera with a range of shutter openings. Just as the still photographer will step up his shutter speed to 1/200 or 1/500 second and open up his lens for a fast action shot, the cine photographer having a variable shutter on his camera may do the same. Races and other sports events, flights of birds, and other fast action studies which are thus rendered in sharp detail, become pictorial delights.

Pellegrini's variable shutter installation involves a total of thirty-five parts. Five of these are gears used to form the differential block which, with the aid

(Continued on Page 504)

ONE OF THE IMPORTANT features which every 16mm cinefilmer wants in his camera when he undertakes professional cinematography is a variable shutter. At present, there are but two 16mm cameras in the semi-professional class which have this feature—the Eastman Cine Kodak Special, and the European-made Pathe Model E "Super 16." However, owners of the Bolex H-16 now may have this feature added to their cameras, thanks to the ingenuity of Tullio Pellegrini, of San Francisco, California.

Pellegrini, an avid Bolex owner and enthusiast, considers the H-16 one of the best 16mm cameras available. Thus, when he reached the stage in his filming activities where he required the added advantages which a variable shutter could give, instead of trading his camera for one having this feature, he proceeded to engineer and install one in his Bolex. So successful was this camera modification that other Bolex owners of his acquaintance persuaded him to install variable shutters in their cameras. Pellegrini soon found himself in a profitable sideline business which later developed into a full-time money-maker. Today, thanks to aggressive advertising, Pellegrini is installing variable shutters in Bolex cameras sent him

SEEING IS BELIEVING!

THE BIRTH OF A NATION AND THE BIRTH OF AN ART

IN 1915

MOTION PICTURES GRADUATED
FROM FASCINATING NOVELTY TO
INTERNATIONALLY RECOGNIZED
ART-FORM WITH RELEASE OF

D.W. GRIFFITH'S

"BIRTH OF A NATION".


BIG BOX OFFICE WAS BORN, TOO.
THE FILM HAS GROSSED OVER
15 MILLION DOLLARS!



ANOTHER PIONEER

...THE "NATIONAL" CARBON ARC...

HEIGHTENED THE DRAMATIC EFFECT
AND VERSATILITY OF SUCH GRIFFITH
"FIRSTS" AS CLOSE-UPS, BACK-LIGHTING,
AND SHARP-SHADOW COMPOSITION.



SUSPENSE...

THE SMALL SOURCE SIZE AND
HIGH BRIGHTNESS OF "NATIONAL"
CARBON ARCS PRODUCE MUCH
SHARPER SHADOWS THAN ANY
OTHER STUDIO LIGHTING SOURCE
...SURPASSING EVEN THOSE
OBTAINED FROM BRIGHT
SUNLIGHT!



THE "NATIONAL" CARBON ARC... NOTHING BRIGHTER UNDER THE SUN

The term "National" is a registered trade-mark of Union Carbide and Carbon Corporation

NATIONAL CARBON COMPANY


A Division of Union Carbide and Carbon Corporation, 30 East 42nd Street, New York 17, New York

District Sales Offices: Atlanta, Chicago, Dallas, Kansas City, New York, Pittsburgh, San Francisco

IN CANADA: National Carbon Limited, Montreal, Toronto, Winnipeg



SOME OF THE equipment vital to the photography of the Burns and Allen TV show may be seen in this picture of Gracie Allen discussing a scene with producer-director Ralph Levy (seated) and cinematographer Philip Tannura, ASC. In background are two of the important set lighting units used—the cone-light (right) and the strip-light, which are used with diffusers. Mounted on floor of the camera dollies are two photospot lamps which supply fill light.



GENERAL VIEW of the multiple sets used in staging action for the weekly Burns and Allen TV shows. Note cone-lights suspended from ceiling. These are augmented by other lighting units—all suspended from overhead, thus leaving stage clear of cables for free movement of dolly-mounted cameras.

Carefully Balanced Lighting Vital To Best TV Film Results

Optical and mechanical losses introduced in present TV systems, which affect quality of the finally transmitted film image, can be offset by more care in set illumination.

By PHILIP TANNURA, ASC
Director of Photography, "The Burns and Allen Show"

HAVING PHOTOGRAPHED more than a hundred films for television, I feel that I can state with some authority that there is a very real difference between the lighting required for television films and that demanded for theatrical films. This matter of lighting for TV films is an oft-disputed question; but the fact remains that today we still see both good and bad photography on television screens.

The cinematographer who accepts an

assignment to photograph a dramatic film for television, should first understand some of the limitations that the electronics of television place upon motion pictures made for the medium. Having done so, he will then set about adjusting his lighting technique to fit the new medium in which he has undertaken to work.

The television film chain consists primarily of a projector and a pickup tube, and associated monitoring equip-

ment. These units introduce optical and mechanical losses into the quality of the finally transmitted film image. The most important element in this chain from the standpoint of quality loss is undoubtedly the pickup tube and its operation. This tube—the iconoscope—which is an energy storage device and therefore subject to many errors common to all such devices, has been subject to much discussion and much improvement during the past two or three years. It has been felt by the most competent engineers that all is not yet fully understood about the use of the iconoscope tube, and new methods of using it are being developed even now.

As an example of one of the difficulties inherent in this type of image pickup device on which we presently rely to transmit film images to home TV screens, the spectral sensitivity of the iconoscope tube extends well into the infrared region of the spectrum. The large amount of infrared radiation present in the ordinary incandescent lamp, which is the light source employed in TV film projectors, falls on the sensitive surface of the iconoscope tube

and creates an unwanted invisible image which in turn gives spurious electronic signals to the monitor circuit.

Since the electrons liberated from the sensitive phosphorous surface in the iconoscope by the infrared radiation passing through the film and falling on this sensitive surface are of low energy content, they tend to form a much less sharp and less well defined image than would be the case if the iconoscope surface were sensitive to visible radiation alone.

Some television stations have sought to counteract this by placing infrared absorbing filters in the projector light beam, and many report marked improvement in the quality of film transmission as a result.

Competent authorities feel that when other methods of projecting TV films are developed and employed by the television industry, it will be possible to obtain at least as good quality from 35mm films as is obtained from direct live pickup. In fact, the theorists go so far as to say that the film pickup program should then be better in quality than live shows, providing the latter are still handled in the same manner as at present.

Much development work is being done at the present time on continuous film projectors, which will be used to project the TV film image into a pickup device known as a flying spot scanner. The combination of the continuous projector and the flying spot scanner, which is not an energy storage device and is therefore not fraught with all the difficulties of such devices, will do much to relieve this problem.

With these facts before us, it is obvious that too often the TV film cameraman is fighting the iconoscope tube. Instead of changing the lighting to fit the tube presently in use in most stations, we find many cameramen following the old studio technique of providing heavy shadows with contrasting large white areas. In photographing the Burns and Allen Show, we aim to make it look like a live show as much as possible. I'm frequently tempted to fall back on studio technique and put heavy shadows into different parts of the set, but I know what will happen when one of the three cameras we use shoots a closeup of a player in one of these shadows. The result may appear passable when screened in the projection room, but it's a different story when it is put through the electronic system and sent out over the airwaves. Then the infrared bugaboo injects itself to seriously alter the character of what was believed a perfectly lighted scene.

It has been my experience that if a player is in front of a "shadow break"

(Continued on Page 501)

Television Film Production

By LEIGH ALLEN

OCTOBER TV FILM PRODUCTION: The following cinematographers were engaged in Hollywood last month directing the photography of films for television:

Gert Anderson, series of half-hour "Ford Theatre" dramas for Screen Gems, at Columbia Studios.

Lucien Andriot, ASC, series of 1/2-hour "Rebound" dramas for Bing Crosby Enterprises at Hal Roach Studio.

William Bradford, ASC, series of 1/2-hour Gene Autry films for Flying A Productions.

Norbert Brodine, ASC, series of "Racket Squad" 1/2-hour mystery films for Showcase Productions. (Roach)

Ellis Carter, ASC, "Mr. and Mrs. North" series of 1/2-hour comedies for Federal Telefilm, Inc. (Goldwyn)

Dan Clark, ASC, "Boston Blackie" series of 1/2-hour adventure films for Ziv TV Productions.

Ed Colman, "Dragnet" series of 1/2-hour mystery films for Mark VII Productions. (Walt Disney)

Robert DeGrasse, ASC, "Amos 'n Andy" show for Hal Roach Productions, Hal Roach Studio.

George Diskant, ASC, "My Hero" series of comedy dramas for Don Sharpe Enterprises. (RKO-Pathe).

Curt Fetters, "Favorite Story" series of 1/2-hour telepix for Ziv TV Prod.

Elly Fredericks, "Biff Baker, USA," "Chevron Theatre," and "Gruen Theatre" series of 1/2-hour films for Revue Productions. (Republic).

Karl Freund, ASC, "I Love Lucy" and "Our Miss Brooks," 1/2-hour comedies for Desilu Productions. (Gen. Serv.)

Frederick Gately, ASC, "Linkletter And The Kids," series of 15-min. telefilms for John Guedel Prods.; also the "Ozzie and Harriett" comedy series for Volcano Productions, Inc. (General Serv.)

Alfred Gilks, ASC, "I Married Joan" series of 1/2-hour comedy films for Joan Davis Prods. (General Service).

Jack Greenhalgh, ASC, "This Is The Life," series of 1/2-hour religious dramas for Family Films Television, Inc.

Russell Harlan, ASC, "Schlitz Playhouse of Stars" series of 1/2-hour dramas for Meridian Pictures, Inc. (Goldwyn).

Fred Jackman, Jr., ASC, "The Red Skelton Show," 1/2-hour comedy series for Key Productions. (Eagle Lion).

Benjamin Kline, ASC, "Fireside Theatre" series for Frank Wisbar Productions. (Eagle Lion).

Kenneth Peach, ASC, "Family Theatre" series of 1/2-hour dramas for Jerry Fairbanks Productions. (Fairbanks).

Robert Pittack, ASC, "Lone Ranger" series of 1/2-hour westerns for Jack Chertok Productions. (General Service).

Clark Ramsey, "Adventures of Kit Carson" series of 1/2-hour westerns for Revue Productions. (Republic).

William Sickner, ASC, "File of Jeffery Jones" series of 1/2-hour mystery telefilms for Lindsley Parsons Productions.

William Snyder, ASC, "Terry and The Pirates" 1/2-hour films for Dougfair Corp. (RKO-Pathe).

Harold Stine, "Big Town" series of 1/2-hour mystery dramas for Gross-Krasne Inc. (General Service).

Walter Streng, ASC, "Trouble With Father" series of comedy dramas for Roland Reed Prod. (Hal Roach).

Phil Tannura, ASC, "Burns and Allen Show" for McCadden Corp. (Gen. Serv.).

Tom Tutwiler, ASC, special aerial sequences for "Terry And The Pirates" series of 1/2-hour dramas for Dougfair Corp. (RKO-Pathe).

James Van Trees, ASC, Groucho Marx "You Bet Your Life" show for Filmcraft Productions, NBC Studio.

Gil Warrenton, ASC, pilot religious TV film for Scripture Films. (KTTV).

Fred West, pilot religious TV film for Cathedral Films. (Chaplin Studio).

When TV film production began its inauspicious struggle a couple of years ago, it was freely predicted that when the industry really got rolling, it would seek out seasoned studio cinematographers to shoot its video films.

This prediction has been fulfilled. Today, there are no less than 22 ASC members regularly engaged in photographing the important TV film shows in production in Hollywood.

Another 13 telefilms in the "Ramar Of The Jungle" series will go before the cameras November 28th, according to Arrow Productions. Clark Ramsey is scheduled to direct the photography.

Universal-International and Columbia have become the first major studios to clear the way for unhampered production of telefilms on their lots with the signing last month of agreements with Screen Actors Guild.



FIG. 1—Sections of three scenes, each made with a different 16mm camera, spliced together to show comparative frame line positions. Center scene is in perfect alignment, while scenes at top and bottom clearly show result of poor alignment of camera aperture plate.

Is Your Frame Line Showing?

A faulty camera aperture plate can cause plenty trouble when screening movies made with more than one cine camera.

By LEO J. HEFFERNAN

Photos by the Author

A SERIOUS PROBLEM which amateurs often encounter, when undertaking a group film production in which two or more cameras are used, is the constantly changing frame line that appears on the screen as a result of the inter-cutting of footage contributed by the different cameras.

Most of us at one time or another have witnessed the screening of pictures where the projectionist is kept busy re-framing the film each time it appears out of line—with consequent annoyance to the audience.

Why different cameras should produce pictures with different frame lines is a matter that has puzzled cine cameraists for years. Theoretically, they should all be the same—at least camera manufacturers aim to follow certain standards that have been established by the industry and which specify that the frame lines produced by 16mm cameras should intersect the sprocket holes exactly in the center—as shown in the middle film clip in Fig. 1 and again in the projected result, shown in Fig. 2.

A cine camera which produces pictures with the frame line above or below this position, as illustrated in Figs. 1, 3, and 4, do so for two reasons: 1) the aperture plate in the camera was not correctly set when the camera was assembled at the factory, or 2) it has slipped out of position during use. In either case, it requires the skilled attention of the factory or of an authorized factory service man. Skilled camera technicians in various motion picture

centers, such as Hollywood, Chicago and New York also can render dependable service. The camera owner should never attempt the adjustment himself.

If, after acquiring a new or second-hand cine camera, the reader wishes to check it for aperture accuracy before starting to shoot, he may do so quite easily. Obtain a short length of processed film which shows the frame lines clearly and in correct position and thread it in the camera. Remove the lens, and run the camera down until the shutter is wide open. With the pull-down claw at the very bottom of its downward stroke, compare the frame lines on the test film with the top and bottom margins of the camera aperture plate. If no frame line shows, the aperture is correctly aligned. If a frame line shows in the aperture, the plate needs to be re-set to its correct position, Eastman Kodak Company, incidentally, offers a special test film for this purpose, which may be obtained on special order from Kodak dealers or direct from Eastman Kodak Company in Rochester, New York.

If you are a "two camera" cine amateur, you probably need to give some attention to this frame line problem, because if your second camera produces a different frame line result than that of your first, your movies made with the two cameras, when spliced together, will give you a bad time during projection. Certainly there is nothing more annoying than having to sit right

(Continued on Page 495)

FIG. 2—Correctly aligned scene reproduces perfectly on the screen.


FIG. 3—Poorly aligned scene in Fig. 1 reproduces on screen in above manner.

FIG. 4—The very poorly framed scene in Fig. 1 produces a screen image like this.



BOLEX HAS STEREO

Marvelous Movies in 3 dimensions!



16mm Movies...in color... and in three dimensions!

Puts the breath of life into every shot you take! Bolex Stereo Movies take *people*, not pictures...*immortal experiences*, not photographic records. They cost no more to take than regular movies. And another pleasant surprise...it's easy. Reduced to its simplest form, there are only two things to do...frame the scene in the finder and shoot. Bolex designers have done a superb job of simplification.

Projection is simple too!

90% of all modern projectors may be used. Just slip out the present projector lens and slip in the Bolex Stereo projection lens.

Thrill to this experience

Be *first* to make your movies breathe and live again! Years from now you'll see stereo movies from Hollywood, but you can pack that waiting period with stereo thrills unique to yourself and your intimate friends. See your Bolex Franchised Dealer today for a demonstration.

Bolex owners—receive regular free mailings of the 25¢ magazine "Bolex Reporter" by registering the serial numbers of your Bolex equipment with us.

Paillard Products, Inc.
265 Madison Avenue, New York 16, N. Y.



Breath-taking 16mm Movies with

Bolex® Stereo



SYNCHRONIZING sound track with picture was accomplished in a professional manner by using clap-stick slate on every scene. Holding clap-stick is author Pfening as camera prepares to shoot scene for his 16mm production.

FRED PFENING, JR., (left) used an Auricon 16mm sound camera to shoot most of the scenes for "It All Depends On You." James Franck assisted as sound man.



Amateur's 16mm Film Promotes Annual Community Chest Drive

Chance to aid fund-raising gave this filmer opportunity to undertake his first 16mm sound production. Resourcefulness and careful planning made it a success.

By FRED D. PFENING, JR.

LIKE MANY OTHER AMATEUR MOVIE FANS who have long since tired of filming commonplace family subjects, I had given a lot of thought to shooting a "big" 16mm production. Perhaps that is the reason I said "yes" without a second thought, when asked if I would produce a 14½ minute sound film for the United Appeals annual Fall drive in Columbus, Ohio.

In looking back to that fateful phone call, I think it would have been well to have asked a few questions before so readily accepting. At that time I didn't know that nine release prints of the film would have to be ready for showing in six weeks. Also, I didn't know that certain sequences would have to be done in sync sound. But even after being fully briefed by the campaign com-

mittee on what they had in mind, it still seemed like an interesting challenge. It was a real opportunity to put into use all the "professional" methods I had read about in American Cinematographer. Having moved into the sound class about a year and a half earlier, I now had a moderate amount of sound-on-film recording experience.

The first step was to work out a general outline of just what we wanted to accomplish with the film. Briefly, the film was to be shown on all three Columbus television stations a number of times, and was also to be used through the local Speakers' Bureau for showing to service clubs and employee groups. We decided to follow pretty closely the established technique used in professional TV films—a minimum of long shots and lots of medium and close shots.

Working from the outline we prepared a full shooting script. The story theme called for using a typical United Appeals (Community Chest, Red Cross, Etc.) solicitor. Jim Thomas attends an

(Continued on Page 492)



For brighter, crisper movies
load with *Ansco Hypan Film!*

You'll never know how sharp and brilliant your black-and-white home movies can be until you see your first pictures on famous Ansco Hypan Film! . . . Ansco Hypan Reversible is a modern fine-grain panchromatic film with inherently brilliant contrast that puts new snap and sparkle into your movies. Hypan's high exposure indices of 40 daylight and 32 tungsten are especially welcome these shorter, dimmer days, or when making pictures indoors. You'll find real economy in Hypan's low price, too—important savings that let you make many more feet of high-quality movies within your normal budget. Look for Ansco Hypan for 8 and 16mm cameras . . . at photo dealers everywhere!

ANSCO, Binghamton, N. Y. A Division of General Aniline & Film Corporation.
"From Research to Reality."

Ask for
**ANSCO
HYPAN
FILM**

PRODUCTION EQUIPMENT

ARRIFLEX 35mm camera, model 11, complete with two 200' mags, motor, 32, 50, 75mm Astro lenses, case, excellent...\$995.00

ARRIFLEX 35mm camera, model 11, complete with two 200' mags, motor, 35, 50, 85mm Zeiss lenses, case, like new...\$1,295.00

CINEPHON 35mm Newsreel camera, shift-over type like Mitchell, two 200' mags, motor, dissolving shutter, 40, 50, 75mm Astro lenses, ideal for animation...\$1,250.00

BLUE SEAL 35mm Film recorder, amplifier, 1000' mag, sync motor, variable area, value \$7,000.00, completely reconditioned and offered at the special price of...\$1,495.00

FEARLESS BLIMP for Mitchell 35mm camera, follow focus, value \$1,200.00, excellent at...\$995.00

MOLE RICHARDSON geared pan and tilt head, first class condition...\$850.00

ZOOMAR 16mm lens, complete with adapters and case, value \$1,800.00, like new...\$995.00

T-H COOKE 20-inch telephoto f5.6 lens and case, like new, BGH mount...\$375.00

BRIDGAMATIC model 216B processing machine, complete with heavy duty motor, stainless steel tanks, feed-in elevators, almost brand new, save \$1,000.00. Special price...\$2,250.00

AMPRO 16mm Hi-Intensity Arc projector, 12" speaker, value \$1,800.00, like new...\$895.00

CAMART Slate and clapstick...\$10.75

CAMART Triangle...\$26.00

BUY — SELL — TRADE
16-35mm PRODUCTION EQUIPMENT

THE CAMERA MART, INC.

1845 Broadway, near 60th Street
New York 23, N.Y. Circle 6-0930
Cable Address: Cameramart

IMAGINATION FOR SALE . . .

Over twenty years in photography has given me knowledge of color, lighting and composition. Proven creative and technical ability. Currently directing photography of full-length theatrical feature on 35mm Eastman Color negative. Capable of supervising full production and will go anywhere. Second week of November and parts of December and January open.

HOWARD CAGLE

14 East 64th St. New York
TE. 8-2035

Automatic Daylight Developing Tank



- Processes up to 200 Ft.
- 8mm-16mm-35mm
- Movie-X-Ray-Microfilm
- Motor Driven—Portable
- Tough plastic tanks
- Uniform Density Assured
- 70mm tank also available
- Guaranteed

Write for Free Literature, Dept. C
225 West 28 St.
New York 1, N.Y.

TITLE LETTERING

. . . for your TV Commercials

Any style lettering composed and photographed or optically superimposed on your 35mm or 16mm picture

RAY MERCER & CO.

4241 Normal Ave. • Hollywood 29, Calif.
Send for Free Optical Effects Chart

AMATEUR'S 16mm FILM

(Continued from Page 490)

United Appeals meeting because the boss requests him to be there. He doesn't want to have anything to do with the campaign, either as a donor or a solicitor. So the boss tells him to take the day off and visit some of the agencies for a first hand view. He does this and is converted. He returns and offers his services to the boss and goes to work on his fellow employees.

Gene Paul, who was cast as Jim Thomas, is an active little theater player and also is assistant factory superintendent for The Fred D. Pfening Co. Other theater group people also were used in the cast.

An attempt was made to secure outside help in shooting some of the less important shots, but because of the close deadline, I was unable to enlist any aid other than was used in the lip-sync sound sequences. So it wound up as almost a one man job, similar to John Cowart's efforts in Atlanta last year. (It was necessary to take a two weeks "vacation" to do most of the shooting.) This was not too much of a problem, in fact it may have been a lucky happening as it allowed us to move fast, and to have only one train of thought in planning the production as well as the camera angles.

The shooting script, as well as the final script, was written by Wilbur De-nune, executive director of the United Appeals of Franklin County. His assistant, John Picic, made all location arrangements and accompanied me on location shooting.

We decided to use the negative-positive system, rather than reversal and a dupe negative. Our original thinking was to use single-system sound on the lip-sync portions and dupe the sound on one film and the picture on the other. Two reasons lead to the decision to use the double system. First, double system editing was involved either way, so there was no relief there; and secondly, it was felt that the overall picture quality would suffer if some dupe picture negative was intercut with original camera negative. For this reason, Eastman Background-X negative stock was used exclusively in the film. A local TV station which has facilities for negative-positive developing, did this work for us in record time, delivering answer prints in two or three days.

Since we had no control over when appointments could be set up at the different agencies that were to be portrayed in the film, the sequences were not shot in order. Using a slate at the beginning of each scene solved the problem of editing. Although we esti-

mated that only 522 feet would be required for the picture, we planned on shooting a little over twice that amount. We wound up exposing nearly three times the footage needed, which proved to be of great help later in the final editing.

The basic lighting for interiors consisted of spot-type photoflood lamps. In most instances we used three to five from front and side, and one or two as backlights. Since most shots were held at around fifteen feet the problem of background lighting was not too great. On our first day's shooting, we learned to have plenty of fuses handy. Also, the wiring in some of the community centers and sheltered work shops, being very old, presented some lighting limitations.

Filters and reflectors were used on all outdoor shots. The exposure was held to f4.5 during most of the indoor location shooting. A 13mm f1.4 lens was used most of the time, with a 25mm being used for all closeups. A 50mm and a 63mm were used sparingly. Using this range of lenses, the Bolex H-16 proved a highly efficient and flexible camera because of its handy turret which allows quick change of lenses from viewing to taking position.


All of the location scenes were filmed in ten days. Since all dialog scenes centered around Jim, his boss, and fellow employees, the plant of The Fred D. Pfening Co. was used for staging these. Here, scenes were made in the office, the drafting room, and the sheet-metal layout department. Studio type spot and flood lights were added to our photoflood lighting equipment, thanks to the additional electric power that was available.

The Auricon double-system sound recording equipment worked very smoothly. An average of three takes were necessary on each scene, and, of course, each scene involved a new camera angle. In changing camera angles, as when moving from a medium to a close shot, we made a point of always moving from a front to a side shot or vice versa. We had come to know from experience that it is difficult in editing to cut close and medium shots filmed from the same angle.

Two synchronous Auricon-Pro 16mm cameras were used for the lip-sync shooting—one as a sound recorder and the other for picture. The poor acoustics of the relatively bare factory rooms was overcome by hanging heavy blankets around the immediate area where shooting and recording was done. This combined with the use of special sound film stock, enabled us to achieve remarkable sound quality. In fact, the sound quality was so good it would not have been necessary to re-record if it

*In Studio...
or on Location...*

**the new "Balanced" TV Head
is doing a whale of a job every day**



VARIABLE SPEED MOTOR—110 Volt AC/DC—
with Tachometer for EK Cine Special


Motor drive your Cine Special with confidence! Tachometer is mounted in clear view of operator. Calibrated from 16 to 64 frames per second. Definite RED marking for 24 fps. Electrical governor adjusts speeds. Steady operation at all speeds. No adapters needed. Motor coupling attaches to camera and couples to motor. Spring steel drive arm shears if film jam occurs. Easily replaced.

SYNCHRONOUS MOTOR DRIVE—110 Volt AC
—Single phase, 60 Cycle.


Runs in perfect synchronization with either 16mm or 35mm Sound Recorders. Mounting platform permits removal of magazine while camera remains mounted on motor. Spring steel drive fin coupling prevents damage if film jam occurs.

Knurled knob on armature permits rotating for threading. "On-Off" switch in base. Platform base threaded for 1/4" or 3/8" tripod tie-down screw. Rubber covered power cable with plugs included.

If you work with film... for Studio, Newsreel, Commercials, Business, Industrial or Home Movies—it will pay you to get to know us. The country's foremost professionals depend upon our portable, versatile, adaptable equipment.



**HEAD ILLUSTRATED CONTAINS ADJUSTABLE CAMERA TIE-DOWN SCREW
FOR LOCATING CENTER OF GRAVITY. THIS FEATURE IS OPTIONAL.**




"BALANCED" TV HEAD

We threw the book away and engineered a brand new "BALANCED" Tripod for every photographic and video need. The result—a revelation in effortless operation, super-smooth tilt and 360° pan action.

PERFECT BALANCE prevents mishap if the lock lever is not applied. Quick release pan handle locks into desired position. Mechanism is enclosed, rust-proof, needs no lubrication.

Tension adjustment for Camera Man's preference. Built-in spirit level. Telescoping extension

pan handle. We defy you to get anything but the smoothest, most efficient operation out of this tripod beauty.



PROFESSIONAL JUNIOR TRIPOD—Friction Type

Handles all 16mm cameras, with or without motor. Also 35mm DeVry, B & H Eyemo with and without motor, and 400' magazines. Tripod base interchangeable with Professional Junior gear drive head. "Baby" tripod base and "Hi-Hat" base available.

ARRIFLEX Cameras

*We Rent and Service Cameras * Moviolas * Dollies*

Complete line of 35mm and 16mm equipment available for rental.

MITCHELL: Standard, Hi-Speed, BNC, NC, 16mm

BELL & HOWELL: Standard, Shiftover, Eyemos

MAURER: 16mm Cameras

MOVIOLA: Editing machines, Synchronizers

We Design

and manufacture Lens Mounts and camera equipment for 16mm—35mm and TV cameras.

FRANK C. ZUCKER
CAMERA EQUIPMENT CO.
1600 BROADWAY NEW YORK CITY

We Calibrate Lenses Precision "T"

STOP CALIBRATION of all type lenses, any focal length.

Our method is approved by Motion Picture Industry and Standard Committee of SMPTE. For proper exposure density, it is important that you have your lens "T" stop calibrated. Lenses coated for photography. Special TV coating. Rapid service.

F&B NEW & USED EQUIPMENT SPECIALS —

F&B NEW ITEMS

F&B PORTABLE MIKE BOOM

18-foot boom arm, including 5-foot telescoping section, braced and strutted to support every weight mike, sturdy 3-wheeled air-cushioned rolling stand, external (no squeak) mike rotating controls. Unit folds to fit in your car.

J. A. MAURER PROFESSIONAL TRIPOD

Medium weight friction head, spring balanced tripod, for 35mm Eyemo, Arri, etc., or any 16mm camera, smoothest pan and tilt action, highest quality treated wood legs, chrome plated metal, telescoping pan handle, new type rigid leg locks, Baby and hi-hat available.

EXTREME WIDE ANGLE LENSES

New formula Angenieux Retrofocus. For 16mm . . . 9.5mm f2.2 in "C" mt. For 35mm . . . 18.5mm f2.2, can be mounted for Mitchell, Eyemo, etc. Optical bench tested, guaranteed flat distortionless field, needle sharp.

AVAILABLE IMMEDIATELY

PAN CINOR ZOOM LENS

For 16mm in "C" mt. Focal range 20mm to 60mm f2.8, complete with zooming, parallax corrected viewfinder. No fuzzy edges . . . holds focus all thru zoom. Guaranteed.

COLORTRAN CONVERTERS

Portable — Powerful — Color-correct

Boosts 15 amp fuse to provide almost 4000 watts of 3200 or 3400 Kelvin. Compact and efficient for locations.

COLORTRAN 750 Spot kit.....\$255.00
COLORTRAN 2000 Spot kit.....\$154.00
COLORTRAN 5000 Spot kit.....\$198.50
COLORTRAN DELUXE CONVERTER.....\$31.50
Immediate shipment from stock.

F&B Leg-lok adjustable triangle with tripod clamps.....\$26.00
F&B adjustable shoulder-pod.....\$15.00
F&B ULTRA-refined sperm whale camera oil—best by test.....2 oz. \$.49
F&B chem. pure Acetone.....pt. .75
F&B Friction head lite tripod.....60.00
ETHYLOID speedy film cement.....pt. 1.80
ECCO anti-static film cleaner.....qt. 2.50
ECCO applicator.....29.50

**WRITE FOR FULL DETAILS
ON ALL ABOVE ITEMS**

ARRIFLEX CAMERAS

MODEL 11, 35mm, complete with built-in 12 v. motor and tachometer, reflex focusing thru the taking lens, sunshade and filter holder, 200-ft. magazine, 3 lens turret. LIST PRICE.....\$1,195.00

MODEL 1, 35mm, complete, same features as above, used, guaranteed.....\$675.00

ACCESSORIES AND LENSES	New	Used
200-ft. magazine	\$120.00	\$ 85.00
400-ft. magazine	160.00	120.00
15v. Arri lite battery	100.00	
15v. plastic battery	37.50	
Professional tripod	250.00	
Leather tripod case	55.00	
Camera carrying case	100.00	65.00
SCHNEIDER XENON coated lenses		
28mm f2.	150.00	
50mm f2.	175.00	
75mm f2.	200.00	
ZEISS coated lenses		
35mm Biotar f2.		125.00
50mm Sonnar f1.5		145.00
85mm Sonnar f2.		195.00
125mm Astro f2.3	250.00	185.00
180mm Sonnar f2.8		350.00
300mm Astro f5.		260.00
400mm Astro f5.		325.00
500mm Cooke f5.6		425.00
90mm Kilar f3.5	90.00	
135mm Kilar f3.8	105.00	
150mm Kilar f3.5	112.50	
300mm Kilar f5.5	145.00	
400mm Kilar f5.5	255.00	

THE 16mm ARRIFLEX

Our idea of a beautiful outfit . . . with all the fine features of the 35, plus 3 lens divergent turret, interchangeable motor. LIST PRICE.....\$1,295.00
Complete list accessories & lenses available.
Order now for earliest delivery.

THE HALLEN RECORDER

It is our privilege to present the Hallen one-case portable recorder . . . a fine quality, high-fidelity, precision instrument.
Available in 16mm or 17½mm magnetic tape widths.
One-case portable unit, 2 motors, 3 simultaneous input channels, Recorder/Reproducer.....\$1,495.00
Two-case unit with remote control mixer, Recorder/Reproducer.....2,795.00
Bulk erase unit.....69.50
Power supply 500w. output.....425.00
Footage counter.....75.00

WRITE FOR DETAILS

OUR new catalog containing thousands of items including everything in new and used motion picture and TV equipment will be off the presses soon. Reserve your free copy now. Remember . . .
F&B completely guarantees any item sold . . . whether new or used.

WE BUY — SELL — RENT

had not been for the fact we felt that the bi-lateral Auricon track should not be intercut with the unilateral Maurer track used for the narration.

The two Auricon cameras were interlocked by connecting to a single switch, in order that they might both come up to speed before the clap stick was used.


During the filming of the sound sequences, I was aided by an assistant cameraman and a sound man. The Bolex was used as a second camera to record reaction shots when filming the sound sequences. We used the reaction shots to break up the lengthy scenes in which the boss tells his employees about the United Appeals drive. Extra footage made of his audience came in handy during editing to cover instances of out-of-sync sound that developed from switching camera angles.

A Cine Special camera was used for making titles, because of its dissolving shutter, which enabled us to introduce fades and dissolves in the titles as we photographed them. The skyline of downtown Columbus was double exposed as a background for the titles.

When all of our footage was put together in the first rough cut, we discovered the workprint was over 1600 feet in length. Cutting this down to the 522 feet we had set as the limit proved to be the biggest job of all.

Editing the double system sound turned into a very interesting experience. The clap stick sync marks on the sound film are easy to read, and the scene can be put in order with little trouble. A two gang synchronizer was used to hold sound and picture together. It was also used as a film measuring

(ADV.)



FLORMAN & BABB

70 West 45th Street, New York 19, N. Y.

Phone: Murray Hill 2-2928

Cable Address — FLORBABB, N. Y.

Bargains Galore — in this month's Classified Ads on Page 505

EVERYTHING PHOTOGRAPHIC AND CINEMATIC

FOR PROFESSIONAL AND AMATEUR

The World's Largest Variety of Cameras and Projectors. Studio and Laboratory Equipment with Latest Improvements as Used in the Hollywood Studios. New and Used . . . BARGAINS.

HOLLYWOOD CAMERA EXCHANGE

1600 Cahuenga Boulevard

HO 9-3651 • Hollywood, Calif. • Cable Hocamex



"All I know is they told me to make room for a KINEVOX"*

(*Leading portable synchronous magnetic recorder.)

machine for timing our footage.

Since time as well as cost was a factor, it was decided that no optical effects would be used. In the final cut the fades and dissolves have not been missed and the continuity held up well to the end. The final cutting reduced the total number of scenes to 18. After the work print was cut, the narration script was written. All scenes were timed and cued for the narration. The work print was projected at a sound recording studio where the post-recording was done. The lip sync scenes were then cut into the narration track. This was then printed with the edited picture negative to produce the release prints.

All of this amounted to quite an extensive job. A rough breakdown on the time consumed shows that shooting required 60 hours, editing work print 25 hours, and recording the narration about 4 hours. Because of the tight time schedule it was necessary to have the film lab take over the job of matching the original negative to the edited work print.

Thus, six weeks after the first scene went before the camera, our film, "It All Depends On You," was finished. When the fund drive began, a total of fourteen prints instead of the 9 originally planned were in circulation. Prints were screened as often as 19 times daily during the drive. In addition, three Columbus, Ohio, TV stations televised the film a total of ten times.

Needless to say, producing the picture proved to be a great deal more work than I realized the day I naively agreed to undertake the assignment. But it also proved a wonderful education to me as well as demonstrating what a serious amateur can do in the way of making films above the amateur level, once he puts his mind to it.

FRAME LINE SHOWING?

(Continued from Page 488)

by the machine as you screen a show, repeatedly working the framing lever in an effort to conceal the frame line error in your movies.

Frame line irregularities show up most often in films produced by amateur cine club groups in which several members contribute footage. It's happened to me and my club associates. Today we test and make sure all cameras render uniform frame lines before they are permitted to take part in a joint production.

Nor is this frame line bugaboo confined entirely to amateurs. I've seen the fault many times in professional and semi-professional 16mm films. Indeed, film libraries today still have many reels which show this glaring fault.

Coming Up- Perfect Precision Prints

WE CALL IT "VELVETING"

Every original submitted to the Laboratory is carefully cleaned at the outset and kept that way throughout every operation. Specially designed cleaning machines exclusive with Precision, do the work . . . supplemented by careful hand cleaning, or "velveting."



YOUR ASSURANCE OF BETTER 16mm PRINTS

15 Years Research and Specialization in every phase of 16mm processing, visual and aural. So organized and equipped that all Precision jobs are of the highest quality.

Individual Attention is given each film, each reel, each scene, each frame — through every phase of the complex business of processing — assuring you of the very best results.

Our Advanced Methods and our constant checking and adoption of up-to-the-minute techniques, plus new engineering principles and special machinery

enable us to offer service unequalled anywhere!

Newest Facilities in the 16mm field are available to customers of Precision, including the most modern applications of electronics, chemistry, physics, optics, sensitometry and densitometry—including exclusive **Maurer-designed** equipment—your guarantee that only the *best* is yours at Precision!

Precision Film Laboratories — a division of J. A. Maurer, Inc., has 14 years of specialization in the 16mm field, consistently meets the latest demands for higher quality and speed.

PRECISION


FILM LABORATORIES, INC.

21 West 46th St.,
New York 19, N.Y.

JU 2-3970

Right: Moody Institute of Science Installation — using Stancil-Hoffman Magnetic Film Recorders.

Below: Model S-5 Magnetic Film Recorder— Rack Mounted.



MOODY INSTITUTE USES S-5

"Our Stancil-Hoffman S-5 Magnetic Film Recorders currently carry the recording load in our laboratories—they are doing a marvelous job! We have found the S-5 to meet or surpass their printed specifications," says Dr. Irwin A. Moon, Director of Moody Institute of Science.

HOW YOU SAVE WITH THE S-5 RECORDER:

1. Lower investment cost—complete recording system now within your budget.
2. Versatile—single/three phase, battery operation, 17.5/35 and 16 MM; in carrying cases or for rack mounting.
3. Functional design and precise engineering reduces operating costs and maintenance.
4. Positive synchronization; edit foot by foot or sprocket hole by sprocket hole; interlocked push button controls.

write for further information to:

1016 N. Highland

Hollywood 38,
California

STANCIL-HOFFMAN
New York
Chicago
Toronto
Honolulu

Hillside 7461

Cable Address:
STANHOFF

COMPLETE RECORDING SYSTEMS FROM MICROPHONE TO RELEASE PRINT

Remember this, if your camera shows evidence of faulty alignment of the aperture plate: almost all 8mm and 16mm cameras made today permit adjustment of the aperture plate. If faulty alignment shows up in a new camera prior to expiration of the camera service guarantee, you can return it to the dealer or to the factory for adjustment without charge. In any event, do not attempt the adjustment yourself. If you need quick service and can't tie up your camera long enough to have the factory adjust it, consult the classified pages of your telephone directory for a reputable camera repair service or ask your camera dealer. The adjustment is easily made, and for a nominal charge. The result will be neat and professional-like presentation of your movies on the screen.

THE STEEL TRAP

(Continued from Page 478)


One example of how the battery power source was used to advantage was when making the running shots of the taxi, shooting from inside the car with the players in the back seat. Two taxis were securely tied together in tandem, as shown in one of the accompanying photos. The players, Laszlo, the director, camera, and camera crew were crowded into the second taxi; the sound recording equipment and power supply batteries were in the first taxi along with the driver, a gaffer, and sound recording engineer. Thus, the two-taxi unit operated independently of outside power sources as it roamed downtown Los Angeles streets, recording action with genuine backgrounds that ordinarily would have been produced (at undoubtedly greater cost) on the sound stage using background plates. Such shots were made both day and night.

"My chief photographic problem in making these scenes," said director of photography Laszlo, "was to balance my lighting inside the taxi to match the daylight coming through the taxi windows. For this, and for numerous other shots of similar nature, I utilized panels of tinted plexiglass having about 50% light transmission, placing them over the windows to cut down intensity of the daylight."

Similarly, when making shots of the plane interior in the daytime, the windows also were covered with plexiglass.

The downtown Los Angeles bank, which provided the interior settings for much of the action of the picture, probably posed the major lighting problems for Laszlo and his crew. Working entirely with Colortrans and a few Juniors, excellent results were had in filming the office scenes and scenes in the giant

Model M52 SENSITESTER



★ IMMEDIATE DELIVERY
to the lab owner interested in—

**QUALITY
EFFICIENCY
ECONOMY**

- DUAL MACHINE
1—Sensitometer
2—Scene Tester
- HIGHLY ACCURATE
Electronic timer unaffected
by climatic changes.
- NEW TYPE LONG-LIFE
Cold Light Exposure Unit
- WITHOUT ADDITIONAL
EXPENSE will match any
printer
- \$1675.00 35mm Model
- \$1875.00 35mm-16mm
Combination Model

F.O.B. Hollywood, Calif.

ART REEVES MOTION PICTURE EQUIP.
7512 Santa Monica Blvd.
Hollywood 46 California

vault. In shooting scenes in the vast cavernous interior of the bank's main floor, Laszlo had the advantage of some daylight coming through the windows; but when the story called for scenes where windows backgrounded the action, it was necessary to resort to use of the light-reducing plexiglass panels over the windows.

It is natural to conclude that latensification of the film was employed in order to obtain satisfactory photographic results. This was not the case, however. Using the limited lighting equipment previously mentioned and a set of choice lenses and fast panchromatic film, Laszlo achieved a realistic documentary type of photography that could hardly have been duplicated, shooting the same scenes staged in the studio.

The bank scenes were photographed each day after the offices closed at 3 p.m., and up until midnight. The company worked the following Sunday all day, which enabled it to shoot scenes in the open offices, the teller's windows, etc., unhampered by people who would normally gather to watch a movie company shooting pictures. Despite the limitations of the lighting, Laszlo worked more or less consistently at a stop of f/2.8. Where he had the advantage of daylight coming through the windows in interiors, the lens was stopped down to f/3.5.

If the reader has assumed until now that the term "documentary," applied to Laszlo's photography of "The Steel Trap," implies a quality less than that normally obtained in working on studio sets, let it be said that true documentary photography has a more realistic, natural quality, shorn of all the frills so often applied to lighting studio sets. It's a little more difficult shooting the "documentary" way. A cameraman must not only be unusually resourceful but have a genius for utilizing all the available light at his disposal.

Pointing up this quality in Laszlo's photographic technique is the sequence of shots he made inside Antoine's famed restaurant in New Orleans. The shots of the couple on the crowded dance floor are an exceptionally good example of genuine documentary photography accomplished with the aid of Colortrans, a single Junior for a key light, and the house current for power.

One of the more vexing problems for the company was the fact it had to travel light and therefore work without the advantage of a blimp on the camera. Whenever this seriously affected sound recording, camera "blankets" were used. When shooting within the limited confines of the TWA plane interior, it became necessary to put two blankets on the camera.


Only one camera, a Mitchell, was used

For Instant Movability and Advanced Design

"HYDROLLY"

(TV or CAMERA DOLLY)


Hydraulic lift type for fast upward and downward motion of TV and Motion Picture cameras. Lightweight — sturdy — easily transported in a station wagon. Fits through a 28" door. Adjustable leveling head. In-line wheels for track use. Steering wheel and floor locks.



PRECISION-ACCURATE "SYNCHRONIZER"

16mm or 35mm

IMMEDIATE DELIVERY!



Any combination of sprockets assembled to your specifications. Sturdy cast aluminum construction. Foot linear type, with frame divisions engraved on sprockets. Contact rollers adjusted individually for positive film contact. Fast finger-tip roller release, sprocket shaft slip lock, complete with footage counter.


VARIABLE SPEED MOTOR with TACHOMETER

for Cine Special or Maurer Cameras

115 V. Universal Motor—AC-DC
Variable Speed 8 - 64 Frames
Separate Base for Cine Special
Adapter for Maurer Camera

INTERCHANGEABLE MOTORS:

12 Volt DC variable Speed 8-64 Frames.
115 Volt AC 60 Cycle, Synchronous Motor, Single Phase
*Animation Motors: Cine Special, Maurer, B & H, Mitchell.
Motors for Bolex and Filmo Cameras. Time Lapse Equipment.*




• Lens Coating • "T" Stop Calibration

• Designing and Manufacturing lens mountings and camera equipment for 16mm and 35mm cameras.

• Bausch & Lomb "Baltar" Lenses and others for Motion Picture and TV Cameras.


• Rentals — Sales — Repairs:
Mitchell, Eyemo, Bell & Howell, Wall, Cine Special Cameras.

Write for information and prices



NATIONAL CINE EQUIPMENT, Inc. 209 WEST 48th ST.
NEW YORK 19, N. Y.

Recoup Cost Quickly with



Bridgomatic
FILM PROCESSING EQUIPMENT

Control your production from the start — **BRIDGAMATIC** straightline "Add-A-Unit" idea lets you buy the basic machine with stainless steel tanks, then add re-circulation, aeration, refrigeration, replenishment, filtration, etc. as needed. Costs little more than old fashioned, cumbersome slow acting rack and tank methods. **BRIDGAMATIC** removes the "guess," saves valuable time, protects precious negatives, produces cleaner pictures. Develops and dries ready for showing same day events occur.

After years of use, here's what owners say:

INDIANA U—"Does football films flawlessly."
BAY STATE FILMS—"Paid for itself many times."
MASTER MOTION PICTURES—"Does a great job for us."
WTVJ, MIAMI—"Recommend to other stations."

BRIDGAMATIC 216C35 Combination
16/35mm. Positive film speed 900' per
hour\$4,495

BRIDGAMATIC JR. \$1095

Good for small labs., pos. speed 600' per hr.

AGENTS FOR: Acme Animation, Auricon Super 1200 Cameras, Bardwell & McAlister Spots, Bell & Howell Printers, Blue Seal Recorders, Bodde Background Screens, Century Lighting, Colortran Lites, Fearless Dollies, Hallen Recorders, Kinevox Synchronous Magnetic Recorders, Magnecorders, Micop Printers, Mole-Richardson Lights, Moviolas, Precision Sound Readers, Raby Blimps and Gearheads, Studio Sound Readers and Synchronizers. Many Items Available on Time Payments.

S.O.S. CINEMA SUPPLY CORP.

DEPT. F
602 W. 52nd ST., N.Y. 19
Cable: SOSOUND

C. ROSS

FOR

LIGHTING EQUIPMENT

Inkie and Arc Lamps including Required Accessories
Generators—Cables—Boards—Boxes

Raby Camera Crane—Dollies—Blimps—Geared Heads

GRIP EQUIPMENT

FOR LOCATION AND STUDIO

Parallels—Steps—Platform Ladders
Century Stands—Reflectors—Flags—Scrims

SOLE EASTERN MOLE-RICHARDSON CO. DISTRIBUTOR
RENTALS • SALES • SERVICE

CHARLES ROSS, Inc.

333 WEST 52nd STREET

NEW YORK 19, N.Y.

Circle 6-5470-1

in the entire production and in no instance was a camera dolly used. All shooting was done from a tripod. Nor were there any process or special effects used. Effects normally done in this manner were incorporated in the original filming as, for example, the plane and taxi interiors in which the backgrounds, seen through the windows, are the real thing.

This is not the first experience for Laszlo in applying documentary photography to feature productions, although it is the first instance in which he or anyone else has applied it to such an extent. It was Laszlo's flair for documentary photography that marked the pictorial success of "D.O.A." and "The Well," and which added luster to "The Star"—Bette Davis starrer soon to be released.

While it may be true that pictures such as "The Steel Trap" are made to order for documentary camera treatment, it is quite unlikely that a cameraman having little or no experience in this type of treatment could achieve the dramatic photographic quality that marks "The Steel Trap." There's ample evidence as the picture unfolds on the screen that more than ordinary brainwork went into the planning of the photography of this picture. For those who'd like to study the camera work closely, we recommend a second look at the picture; you'll be too busy holding on to your seat the first time you see this thriller to think of the photography.

CINERAMA

(Continued from Page 481)

ing between them. This problem was solved by what technicians call "gigolos"—tiny gadgets that look like combs, having teeth along one edge. These are fitted on each projector on the side of the film track and jiggle up and down along the edges of the picture area of the film at high speed. These little saw-toothed "dodgers" diffuse the edges of the three Cinerama film images where they join on the screen, blending them together at the margins without a conspicuous dividing line. Incidentally, the oversized reels which feed film to each of the three Cinerama projectors hold 7,500 feet of film, which runs up to 50 minutes on the screen.

The stereophonic sound that heightens the realistic illusion of Cinerama is as new and unusual as the visual effect. When a Cinerama production is being photographed, five microphones are placed to pick up the sound in different areas of the scene. One to three others


are placed well off to one side, or behind the camera, to pick up the sound of peoples voices, roaring engines, or whatever may be approaching or leaving the scene. Each microphone leads to a recording head on the master multiple magnetic film recorder set up usually near the camera. This sound is reproduced in the theatre through five speakers arranged behind the screen—one for each of the sound tracks recorded from the set. Other speakers are placed on the walls of the theatre and another at the rear. Each speaker thus reproduces the sounds picked up by the individual mikes at a point corresponding to its position during filming, and thus produces the unusual effect of realistic sound which is an important feature of Cinerama. When a motorboat, for instance, roars across the screen, the noise of its engine begins as the boat emerges on the screen from one side, and continues coming from the position of the boat as it travels to the other side.

Title of the initial public presentation of Cinerama is "This Is Cinerama." Filmed in Technicolor, it comprises a number of non-related subjects—a sort of melange of short subjects each complete in itself—and include, The Roller Coaster, A Ballet, The Fourth Wonder of the World, Handel's "The Messiah," Venetian Boatmen, Kilts and Tartans, Toreador, Spanish Rhythm, The Vienna Boys Choir, The Finale from Act II of 'Aida,' Rare Beauty and Fast Action, and America The Beautiful.

Harry Squire is Cinerama's cameraman. There will be others, of course, as Cinerama develops and expands; but Squire is the man who worked as avidly as did Fred Waller to make Cinerama a pictorial success. The photography of "This Is Cinerama" is a story in itself, one we hope Harry Squire will write for an early issue of American Cinematographer. He isn't what you'd call quiet and retiring, yet today, after the tremendous work and the multitude of experiences he has encountered putting action on Cinerama film, Squire says simply, "It's all routine to me." But the material he photographed for Cinerama's initial public presentation is far from routine stuff, as the reader will see should he be lucky enough to witness a screening of this initial Cinerama production. Squire found there weren't enough lights in Italy to illuminate the stage in filming La Scala Opera Company's brilliant presentation of the "Aida" score in an Italian theatre; additional lights had to be flown in from England, along with extra generators. He mounted his heavy Cinerama camera on the bow of a speedboat to capture thrilling footage of water sports in Florida. To film water-level shots of Cypress Gardens' lovely Aquabelles,

Westrex Distributes

Reeves Magnetic Film and Tape, Featuring...



- **ECONOMY** of low first cost and long life.
- **CONSTANT OUTPUT** assured by electronically controlled coating.
- **GREATER DYNAMIC RANGE** because of highly uniform oxide dispersion.
- **HIGH FREQUENCY RESPONSE** conforms to industry standards.
- **POLISHED SURFACE** reduces mechanical squeal.
- **HIGH OUTPUT** because oxide dispersion is engineered for maximum sensitivity.
- **LONG HEAD LIFE** results from coating oxide particles with low-friction material.

- **LONG STORAGE LIFE** assured by use of new triacetate safety film base.
- **OXIDE FLAKING** or rubbing off greatly reduced due to high adherence of magnetic coating.
- **MECHANICAL UNIFORMITY** achieved by a special coating formula that minimizes curling.
- **35MM FILM EDGE NUMBERED** every foot in opposite directions as an aid in editing.
- **CUSTOMERS RECLAIMED CLEAR BASE ACETATE FILM** can be striped with a magnetic coating—an added economy measure.
- **DEVELOPED OR UNDEVELOPED PHOTOGRAPHIC FILM** can also be coated for television productions or other similar usages.

Westrex now distributes Reeves Soundcraft full-coated magnetic recording film, "Magna-Stripe*", and magnetic tape in line with its policy of providing studios with the finest recording equipment and accessories.

*Trademark of Reeves Soundcraft

Research, Distribution and Service for the Motion Picture Industry



Westrex Corporation

111 EIGHTH AVENUE, NEW YORK 11, N. Y.
HOLLYWOOD DIVISION 6601 ROMAINE STREET, HOLLYWOOD 38, CAL.




Precision Built Combination Magnetic Film and Tape Sound Reader

Features: Simple threading . . . polished stabilizer drum with needle bearings . . . combination film rollers for 16mm, 17.5mm, 35mm and 1/4-inch tape, machined to conform with SMPTE standards, and equipped with oilless bearings . . . precision ground shafts . . . Magnetic head mount with adjustments for track locations, azimuth, and magnetic film and tape thickness . . . dimensions 6x6x7 1/2.

Amplifier: 117-volt—60-cycle—AC . . . power output—4 watts . . . heavy duty Alnico V speaker . . . safety fused . . . pilot light . . . 6-ft. heavy duty line cord.

Net Price \$198.00 F.O.B., Factory, N.Y.

PRECISION LABORATORIES
244 West 65th Street, New York 23, N. Y.



Squire had his crew cut a canoe in half, mounted his Cinerama camera on a platform attached to the open end of the front section. A special camera scaffolding was built in one of the Cypress Gardens lagoons so that the outboard motor boats could come into the scene from beneath the camera. Cinerama photography presented new and interesting problems, none of them difficult—all of them challenging.

Since Cinerama's public debut, there has been tremendous interest generated in this new motion picture innovation. Those who have not yet witnessed it on the screen quite naturally ask about its future, what its effect will be on the motion picture industry, what, if anything, will it do to change motion picture photography in general, and if it can be applied to television.

It is not likely that Cinerama will play a part in television films for sometime to come. Nor is it likely to replace general feature film production. Cinerama is in a class by itself. Its level is in the field of the super-spectacle film production. Its extreme wide angle screen is not ideal for the tight closeups we now see in dramatic films. Cinerama demands stories of great action and pictorial scope. Such pictures as "Quo Vadis," "The Greatest Show on Earth," "Ivanhoe," etc., would have been tremendous Cinerama presentations.

Interest in Cinerama is likely to continue at a high level with industry heads waiting the day it can turn a profit for theatres. James Jerauld, writing in "Boxoffice" for October 11, 1952, said:

"Money—lots of it—is required. A three-camera filming unit, in addition to the regular camera crew in studios, could triple print costs. This wouldn't be an insuperable objection if the public

should respond. On the other hand, six projection machines in three booths, six operators on duty in places where two men in a booth are required, and the first cost of installation running up to \$75,000 could fill an exhibitor with alarm.

"How to focus attention on one or two or three or four actors in dramatic productions when the screen is the width of the theatre is something else that will require study. When Magnascope was introduced with 'Old Ironsides' about 25 years ago, the screen was suddenly enlarged by pulling back drapes and then closed again with the same speed for the regular lenses. It may be possible to do this with Cinerama.

"Most exhibitors will watch developments with open minds."

The addition of Louis B. Mayer to the Cinerama organization has accelerated interest in the process. It is reported that most of the major Hollywood studios have made inquiries about utilizing it. Since Cinerama, Inc., owns all patents, it would be leased to studios.

Just how Cinerama presentations will be set up throughout the country has not been decided. There have been hints that the company would operate its own theatres. It now has equipment sufficient to operate three. At present, installation cost of equipment for Cinerama showings in theatres costs from \$25,000 to \$75,000, depending on the theatre. It will be much lower, Cinerama heads say, when mass production of equipment begins. Eventually, the three projector system will be replaced by a single projector, operating much the same as does the single unit, three-lensed Cinerama camera. This, it is said, will make the process economically feasible for even small town theatres. **END**

WHY I USED THE GARUTSO LENS

(Continued from Page 482)

the greatest freedom of movement, it was necessary to keep both players in focus at all times. Having the advantage of maximum depth of focus and using normal set lighting, we achieved a more plastic and natural photographic range. Only in this way were we able to do the unusual lengthy scenes of sustained action and thus permit the players the full scope of their familiar stage technique. One such scene, incidentally, runs approximately seven minutes on the screen; the two players move back and forth on the set in various planes of focus, the camera following them and at all times keeping both players in sharp focus, thereby obviating the necessity of individual closeups.

Most of the scenes were photographed

with the Garutso balanced lens set at $f/2.8$, its maximum stop. In spite of this wide aperture, the desired depth of focus was achieved and at the same time the full quality inherent in the lens at its widest aperture was retained. The depth of focus thus obtained is comparable to that made possible with other lenses working at approximately $f/4.5$ to $f/5.6$.

It is recognized by photographers generally that practically all lenses deliver their most pleasing quality when working at their rated (widest) stop, and this is no less true of the Garutso. The reason is obvious. If increased depth of focus is desired, it is obtainable in the conventional lens by stopping down the aperture. The greater

the depth of focus desired, the smaller the stop used. As the lens is stopped down, its light transmission is reduced proportionately. This means a tremendous loss of exposure, a loss which can be equalized only by the addition of increased set illumination. Add to this the fact that the above method increases the almost microscopic sharpness and contrast to a degree that is acknowledgedly undesirable in most productions; also, that the lens in question was designed to give peak aesthetic results at its rated aperture.

Why does the Garutso achieve the efficient depth of focus we found so desirable for "The Four Poster"? Perhaps a description of the lens is in order at this point:

In the past many attempts have been made to achieve a satisfactory depth of focus at wide aperture, the most notable of which to my knowledge being the efforts of a Dr. Dietrich, now deceased. His method consisted of a mechanical device by which a standard lens was oscillated between two given points, thereby changing focus of the lens from one plane to another. This method, however, possessed many obvious faults and was soon abandoned.

Later, Steven E. Garutso, an optical researcher, sought the answer to the problem of deep focus along basically revolutionary lines. He succeeded by adding a secondary plane of focus at a predetermined distance from, and in relation to, the established focal plane of the basic lens itself. His method consists of adding to the basic lens an annular optical element that interferes with a portion of the actual lens area itself. This added element is carefully prescribed and ground so that the center portion allows an uninterrupted transmission of the image to be photographed through a sufficient area of the original objective lens. Thus, there is projected on the film an image comparable to that normally produced by the original basic lens. In addition the outer area of the added element creates, through the portion of the original lens obstructed by this area, a second image of a predetermined added plane of focus. This second image is placed in perfect registration over the image projected by the uninterrupted portion of the lens, with the result that the lens now has become virtually two, each projecting its own image, of a different plane of focus, directly over the other, and in perfect relation thereto. The final result is a picture that contains within itself two completely detached planes of focus.

It must be noted here that the two images thus superimposed must of necessity be identical in size and in exact registration; also, as the basic focus

of the lens is altered to meet the requirements of the subjects being reproduced, the secondary plane also alters itself in relation to the varied focal lengths of the lens during this period of operation. This action is controlled by a basic optical law which makes it mandatory that the depth of focus vary as the focal length of the lens is changed for the purpose of bringing objects at various distances into focus.

By way of illustration, let us assume that the area of critical focus necessary at a given time is the distance between ten feet and infinity. During the course of the action being photographed it becomes necessary to bring the forward plane of focus up to a much closer object that has been introduced into the immediate front of the lens. As the focal length of the lens is increased to accommodate this new plane of focus, the area of depth of focus must decrease, by established law, in relation to the increased focal length of the lens. In the case of the Garutso method, this relation of change in depth of focus maintains, but to a lesser degree, and in proportion to the greater depth of focus. This may be observed in a practical way through special study of several scenes in "The Four Poster," most notable of which are the scene with the husband standing before an open window, with his wife in bed some distance behind him; the husband reclining in a semi-closet, tossing beads at the room lights in an effort to extinguish them as his wife pretends slumber in the four poster some distance beyond; the opening shot in the toys sequence, and several others. These scenes especially demonstrate how the Garutso balanced lens made it possible, because of the depth of focus achieved at wide aperture, to secure the desired focal range without employing excessive illumination. To have followed the conventional technique of small aperture and an abundance of set illumination would have increased contrast and overall sharpness. This would have tended to spoil the poetic quality of the picture and produce photographically a mood not in sympathy with the story. It should also be noted at this time that I employed all of the usual methods of added optical diffusion commonly used to achieve the photographic mood which prevails in "The Four Poster."

Irrespective of some opinions to the contrary, it has been my finding that, aside from the technical advantages afforded by the Garutso lens, which are undeniable, the results to the objective viewer do appear to have an added aesthetic quality. This is due, of course, to the general increased usable sharpness of all essential planes, thereby elimi-

nating to a great extent the distortion that is usually present in all out-of-focus areas which, through use of this device, have been substantially reduced.

Opinions previously expressed as to the technical advantages of the Garutso lens over standard lenses have been substantiated by no less an authority than Robert B. King, Professor of Physics, California Institute of Technology. His evaluations, following critical examination of the lens, are set down in the accompanying graphs. "The results show," King wrote in his report, "that the Garutso reconstruction substantially increased the depth of field of the lens tested. They also show that the definition was maintained and, at larger angles, considerably improved."

Early in my experiments with the Garutso, I predicted that the proper application of added depth of focus with no attendant increase in lighting would effect an economy of operation by materially reducing the number of required setups ordinarily made necessary because of the focus shortcomings of standard lenses, and at the same time permit greater fluidity in performance and direction. I think we have achieved all this in "The Four Poster."


BALANCED LIGHTING BEST FOR TV FILMS

(Continued from Page 487)

in a scene, his face is sure to wash out and the dark area will respond in reverse with fringing and a white haze. Experience further shows that whenever a bright white area appears in a scene—and this includes white faces in closeup against a dark background—the area will wash out on the TV screen because the ratio between the white and dark areas is too great. A typical example of this occurred early in the Burns and Allen Show series. In both medium shots and closeups of Burns doing monologue between the intervals Gracie is on stage, he was placed standing against a dark column that is part of the stage proscenium. The televised results were what one might expect—Burns' features were hardly distinguishable, result of too great contrast between his face and the immediate background. To correct this, we lessened the ratio of contrast between the two; put darker makeup on Burns and reduced the density of color of the background, bringing them more into balance. Incidentally, all our players are now using darker makeup than is generally used in films for theatre presentation, with consequent marked improvement in the TV screen quality. Thus we find that one of the most important rules for lighting and

(Continued on Page 503)

MORE CONVENIENCE with LESS EFFORT



PAR 400' Magazine for Cine Special

Consider the convenience of having 400 feet of film available for instant use, as well as the savings of time and effort formerly devoted to changing 100-foot film chambers, and you can readily see why the PAR 400-foot magazine is a "must" for your Cine Special.

The PAR 400-foot magazine is operated by the camera spring motor with a PAR spring take-up, or by an electric motor drive. It is reversible for backwinding, features a footage counter, and permits normal use of the 100-foot film chamber. Both daylight loading spools and film on cores of any size up to 400 feet can be used. The entire magazine is quickly and easily removed, and can be used with the PAR Reflex Finder Magnifier.

Write for prices and complete information on equipping your Cine Special with a PAR 400-foot magazine.

PAR PRODUCTS CORP.

926 N. Citrus Ave. Hollywood 38, Calif.

COLOR TRAN LITES

IMMEDIATE DELIVERY

Hi-Intensity Studio type Color Balanced lighting on low amperage circuits. Portable equipment.

750 Spot Kit, three spots, one broad, stands, converter, case.....\$255.00
2000 Grover Kit, two floods, stands, converter, case; each unit equivalent to 2000 watts at 3400 degrees Kelvin.....\$154.00

5000 Senior Kit, two floods, stands, converter, case; each unit equivalent to 5000 watts at 3400 degrees Kelvin.....\$198.50

Movie Model converter, accommodates 16 bulbs, built-in Kelvin control meter, plug-in boxes.....\$235.00

Grip Kits, indispensable for good lighting control, three gobos, five flags, clamps, case.....\$113.50

The Camera Mart, Inc.

18T45 Broadway New York 23, N.Y.

Scheibe FILTERS

In World-Wide Use

Produce moonlight and night effects in daytime • fog scenes • diffused focus and many other effects.

Information mailed on request.

SCHEIBE FILTERS COMPANY
ORIGINATORS OF EFFECT FILTERS
P.O. Box 16834, Hollywood 46, Calif.

EST. 1916
 USED IN EVERY
 HOLLYWOOD
 MOTION PICTURE
 PRODUCTION

Current Assignments of A.S.C. Members



Major film productions on which members of the American Society of Cinematographers were engaged as directors of photography during the past month.

★ ★ ★ ★

★ ★ ★ ★

Allied Artists

- WILLIAM SICKNER, "Timber Wolf," with Kirby Grant, Chinook, Inga Borg, Rex Bailey, director.
- ERNEST MILLER, "Star Of Texas," with Wayne Morris, Lyle Talbot, Thomas Carr, director.
- HARRY C. NEUMANN, "The Roar of the Crowd," (Cinecolor) with Howard Duff, Helene Stanley, Wm. Beaudine, director.

Columbia

- CHARLES LAWTON, "Love Song," (Technicolor) with Jane Wyman, Aldo Ray, Alexander Hall, director.
- WILLIAM BRADFORD, "Pack Train," (Gene Autry Prod.) with Gene Autry, Smiley Burnette, George Archainbaud, director.
- HENRY FREULICH, "Slaves of Babylon," (Esskay Pictures) (Technicolor) with Richard Conte, Linda Christian, Wm. Castle, director.
- BURNETT GUFFEY, "Posse," with Broderick Crawford, John Derek, Alfred Werker, director.

Metro-Goldwyn-Mayer

- FREDERICK A. YOUNG, "Invitation To The Dance," (Technicolor) (Shooting in London) with Gene Kelly, Igor Yousekevitch, Gene Kelly, director.
- HAROLD LIPSTEIN, "Cry Of The Hunted," with Vittorio Gassman, Barry Sullivan, and Polly Bergen, Joseph Lewis, director.
- RAY JUNE, "Code Two," with Ralph Meeker, Sally Forrest, Robert Horton, James Craig, Keenan Wynn, Jeff Richards, Fred M. Wilcox, director.
- MILTON KRASNER, "Dream Wife," with Cary Grant, Deborah Kerr, Betta St. John, Buddy Baer, and Richard Anderson, Sidney Sheldon, director.
- PAUL C. VOGEL, "The Clown," with Red Skelton, Jane Greer, and Timothy Considine, Robert Z. Leonard, director.
- CHARLES ROSHER, "Young Bess," (Technicolor) with Jean Simmons, Stewart Granger, Deborah Kerr, Chas. Laughton, George Sidney, director.
- ROBERT PLANCK, "Remains To Be Seen," with June Allyson, Van Johnson, Louis Calhern, Don Weiss, director.
- GEORGE FOLSEY, "The Band Wagon," (Technicolor) with Fred Astair, Cyd Charisse, Vincente Minnelli, director.
- WILLIAM MELLOR, "Give A Girl A Break," (Technicolor) with Marge and Gower Champion, Debbie Reynolds, Stanley Donen, director.
- HAROLD LIPSTEIN, "Fast Company," with Howard Keel, Polly Bergen, Nina Foch, Marjorie Main, John Sturges, director.

Paramount

- ERNEST LASZLO, "Houdini," (Technicolor) with Tony Curtis, Janet Leigh, and Torin Thatcher, George Marshall, director.
- GEORGE BARNES, "Little Boy Lost," with Bing Crosby, Claud Dauphin, Nicole Maurey, Chris Fourcade, George Seaton, director.

AMERICAN SOCIETY OF CINEMATOGRAPHERS

FOUNDED January 8, 1919, The American Society of Cinematographers is composed of the leading directors of photography in the Hollywood motion picture studios. Its membership also includes non-resident cinematographers and cinematographers in foreign lands. Membership is by invitation only.

Officers and Board of Governors

CHARLES G. CLARKE, President
 FRED W. JACKMAN, Exec. Vice-President
 ARTHUR EDESON, First Vice-President
 VICTOR MILNER, Second Vice-President
 LEE GARMES, Third Vice-President
 WILLIAM SKALL, Treasurer
 JOHN W. BOYLE, Secretary
 MILTON KRASNER, Sergeant-at-Arms
 JOHN ARNOLD
 ROBERT DEGRASSE
 ALFRED GILKS
 HAL MOHR
 SOL POLITO
 RAY RENNAHAN
 JOSEPH RUTTENBERG
 LEON SHAMROY

Alternate Board Members

JOSEPH BIROC
 NORBERT BRODINE
 WILLIAM DANIELS
 PAUL EAGLER
 SOL HALPRIN
 WINTON HOCH
 FRED W. JACKMAN
 CHARLES ROSHER
 PHILLIP TANNURA
 JAMES VAN TREES

- HARRY STRADLING, "Forever Female," with Ginger Rogers, William Holden, Paul Douglas, Irving Rapper, director.

- LIONEL LINDON, "Here Come The Girls," (Technicolor) with Bob Hope, Tony Martin, Arlene Dahl, Claude Binyon, director.

R.K.O.

- NICK MUSURACA, "Split Second," with Stephen McNally, Jan Sterling, Alexis Smith, Dick Powell, director.

20th Century-Fox

- LEON SHAMROY, "Call Me Madam," (Technicolor) with Ethel Merman, Donald O'Connor, George Sanders, Vera-Ellen, Helmut Dantine, Ludwig Stoessel, Charles Dingle, Billy DeWolfe, Leon Belasco, and Walter Slezak, Walter Lang, director.
- LUCIEN BALLARD, "Baptism Of Fire," with Victor Mature, Alvy Moore, Gregg Martell, Lee Marvin, Nick Dennis, Richard Egan, Rober B. Webb, director.
- LEO TOVER, "The President's Lady," with Susan Hayward, Charlton Heston, Fay Bainter, Gladys Hurlbut, Charles Dingle, and John McIntyre, Henry Levin, director.

- JOE MACDONALD, "Nearer My God To Thee," with Clifton Webb, Barbara Stanwyck, Thelma Ritter, Jean Negulesco, director.

Universal-International

- CLIFF STINE, "Law And Order," (Technicolor) with Ronald Reagan, Alex Nicol, Susan Cabot, Preston Foster, Dorothy Malone, Russell Johnson, Nathan Juran, director.
- WILLIAM DANIELS, "Thunder Bay," (Technicolor) with James Stewart, Joanne Dru, Gilbert Roland, Dan Duryea, Marcia Henderson, Jay C. Flippen, Anthony Mann, director.
- CARL GUTHRIE, "Night Flowers," with Patricia Hardy, Leonard Freeman, Harvey Lembeck, Joyce Holden, Don Gordon, Jack Arnold, director.
- MAURY GERTSMAN, "Sioux Uprising," (Technicolor) with Jeff Chandler, Faith Domergue, Lloyd Bacon, director.
- RUSSELL METTY, "Flame of Timberline," (Technicolor) with Ann Sheridan, Sterling Hayden, Douglas Sirk, director.

Warner Brothers

- EDWIN DUPAR, "She's Back On Broadway," (Warner-Color) with Virginia Mayo, Steve Cochran, Gene Nelson, Patricia Wyman, Gordon Douglas, director.
- CARL GUTHRIE, "The Jazz Singer," (Technicolor) with Danny Thomas, Peggy Lee, Mildred Dunnock, Edward Franz, Allyn Joslyn, Michael Curtiz, director.
- WILFRID CLINE, "By The Light Of The Silvery Moon," (Technicolor) with Doris Day, Gordon MacRae, Rosemary DeCamp, Leon Ames, Mary Wickes, David Butler, director.
- ROBERT BURKS, "I Confess," with Montgomery Clift, Anne Baxter, Karl Malden, Brian Aherne, Roger Dann, Alfred Hitchcock, director.
- ARCHIE STOUT, "Alma Mater," with John Wayne, Donna Reed, and Charles Coburn, Michael Curtiz, director.

Independent

- JOHN SEITZ, "Invaders From Mars," (National Pictures) with Jimmy Hunt, Helena Carter, Arthur Franz, Leif Erickson, William Cameron Menzies, director.
- W. HOWARD GREENE, "Swords Before The Mast," (Technicolor) (Edward Small Prod.) with John Payne, Donna Reed, Gerald Mohr, Lon Chaney, Sidney Salkow, director.
- JOSEPH BIROC, "The Tall Texan," (T. Frank Woods Prod.) with Lloyd Bridges, Lee Cobb, Marie Windsor, Elmo Williams, director.
- JAMES WONG HOWE, "Main St. To Broadway," (Cinema Prods.) with Tallulah Bankhead, Olivia de Havilland, Faye Emerson, H. Fonda, R. Harrison, M. Martin, Tay Garnett, director.
- KARL STRUSS, "Tarzan And The She Devil," (Sol Lesser Prod.) with Lex Barker, Joyce MacKenzie, Kurt Neumann, director.
- JOHN ALTON, "The Thirteenth Man," (Ben-Bo Prod.) with Teresa Wright, Macdonald Carey, Don Siegel, director.

BALANCED LIGHTING BEST FOR TV FILMS

(Continued from Page 501)

photographing films for television is to achieve proper light balance between players' faces and the set.

I have found that, by painting our sets light green, light tan, deep yellow, etc., and using wallpaper of corresponding hue, we obtain tonal qualities satisfactory to the iconoscope tube.

Just as conventional studio lighting methods must be altered to suit the medium of television, so also is it necessary to change the conventional method of checking and analyzing such films. I never screen any of my television films in the projection room. Instead, I see them on a closed television circuit, even though this method will give me a better picture than is normally seen on the home receiver. Here again the vagaries of the electronics system play a huge part in the final screen result.

I think one of the important things the TV film cameraman should always keep in mind is the fact that while we nominally have a printing range of twenty-two lights on our light tests, when television films are projected from the tube, this range is reduced to but two points below and above their projection range.

Unfortunately, when good film quality is achieved in television films, there are still some factors which tend to de-

grade their quality by the time they are seen on the home receiver, with consequent criticism for the photographer. These include poor sound reproduction, image unsteadiness, and lack of resolution in the image. The first two of these may be traced directly to poor projection equipment in the television stations. There is little excuse for this condition prevailing today. Witness the quality of the best film programs put on by the major networks. It is impossible today to tell 16mm from 35mm prints if both have been made carefully and well by the laboratory technicians, and are being projected on the best available projectors made especially for the purpose.

The third factor, namely the lack of resolution, is most often attributable to poor duplicating techniques in the laboratory. In the handling of reduction prints it is necessary that even greater care be used to retain fine detail than need be used in the making of straight 35mm contact prints, in order that the end results be the same. Before criticising the laboratory, however, the cameraman first must look to his own techniques; and this brings us back to the basic subject of this treatise—the need for more careful light balance in the photography of films for television.

INDIA FILM TECHNICIANS

(Continued from Page 477)

pictures in India, and emphasized the important part that study of American films played in their technical education.

Producer-director D. Subramanyam described the difference in the working conditions of an Indian cameraman and the average director of photography in Hollywood. In India, the chief cameraman has no "assistant" or "operator" as we know them here, he explained, and said that in most cases the chief cameraman is also his own assistant, camera coolie, etc.—carrying his camera from setup to setup, loading the film, and shooting the picture.

Subramanyam, who is a member of the Cine Technicians' Association of Madras, said he was impressed with the happy spirit of cooperation that exists among members of the ASC. He extended an invitation to the Society to send one of its members to participate in India's Festival of Arts, which is to be held in Bombay sometime in December.

The visitors were especially impressed by the display of motion picture equipment in the lobby of the clubhouse,

prior to the dinner. Here they had opportunity to examine first hand the latest model Mitchell 35mm motion picture camera; the new Auricon "Super 1200" 16mm sound-on-film camera; a new compact, light-weight camera dolly, which was demonstrated by its designer Steve Krilanovich, RKO studio sound engineer; the new Kinevox automatic scene slater for Mitchell cameras, which was demonstrated by its designer, Len Roos, ASC; and a revolutionary new 35mm automatic film splicer, introduced by Sidney Solow, ASC, head of Consolidated Film Industries. Later in the evening, Solow described some of the very interesting motion picture developments which he had found in Europe during his recent visit there.

Following the dinner, ASC members and their Indian guests were given a screen demonstration of the recently introduced Vistascope process, which involves the use of a special camera device and photo cutouts to produce action scenes without the need for constructing


MOVIOLA

FILM EDITING EQUIPMENT
16MM. ~ 35MM.

- PICTURE
- SOUND — Photo. and Magnetic
- SYNCHRONIZERS
- REWINDERS

Model LP
for
16mm.
Picture

Write for
Catalogue



MOVIOLA MANUFACTURING CO.
1451 Gordon St. • Hollywood 28, Calif.

RUBY CAMERA EXCHANGE

Rents . . Sells . . Exchanges

Everything You Need for the
PRODUCTION & PROJECTION
of Motion Pictures Provided
by a Veteran Organization
of Specialists

35 mm. 16 mm.
Television

IN BUSINESS SINCE 1910

729 Seventh Ave., New York 19, N.Y.

Tel: Circle 5-5640

Cable Address: RUBYCAM

16mm & 8mm Motion Picture Service

16 mm Reduced to 8 mm
8 mm Enlarged to 16 mm

16 mm Duplicates
8 mm Duplicates

Color and Black and White

35 mm slide duplicates
and film strip service



**GEO. W. COLBURN
LABORATORY, INC.**

164 North Wacker Drive, Chicago 6, Illinois

**BARGAINS
IN USED EQUIPMENT . . .**
in the classified ads pages this month!

SPARKLING COLOR FOR YOUR PRINTS

Expert timing by color craftsmen plus the careful attention accorded your film in our famous "personalized service" will give you unsurpassed prints whose brilliance makes them alive on the screen.


Write for Information

Dept. C-11

TELEFILM, INC.

6039 Hollywood Boulevard
Hollywood 28, California

ALLIGATOR CLAMP WITH BARN DOOR



- ★ Hangs from a nail on the wall.
- ★ Clamps to a chair, door, top of set or stand.
- ★ Sets on floor as a foot light.
- ★ Adaptable to almost everywhere.
- ★ Barn door, swivels 360°.
- ★ For R2 - R40 or Par 38 Bulbs

Price — \$15.00

Clamp without barn door wired
with plug and switch — Price—\$5.00

Clamp only Price—\$2.75

Above unit excellent for use with
"COLORTRANS"

SCHOEN & CROWE

403 WEST 47th STREET

NEW YORK 36, N. Y.

Circle 5-4691

sets. (See American Cinematographer for August, 1952.—ED.)

The original demonstration film made by the French inventor, Achilles Pierre DuFour, was screened followed by tests made both in black and white and color by Paramount Studio engineers. The demonstration revealed how the actual "set" appears with the photo cutout or matt removed from the Vistascope.

Dr. Charles Daily, Paramount Studio engineer, described the process step by step during the screening, and answered questions regarding the use of Vistascope in major film production. The Indian technicians were particularly impressed with the possibilities of applying the Vistascope to their country's film making system. According to one of the visitors, the process could aid them greatly in shooting action in distant locales where now they are often hampered by transportation problems.

Each of the Indian technicians has an extensive and interesting career in motion picture production. Cameraman B. P. Divecha has photographed more than fifty Indian feature films during the last two decades. He claims to have learned most of the fine points of his profession by seriously studying the photography of films made in America. As a result, he is familiar with the names and the work of just about every director of photography in the Hollywood studios. He manages to see at least one Indian or foreign-made feature film daily, which probably makes him the leading film reviewer of his country.

Producer-director D. Subramanyam is one of the important figures in the Indian motion picture industry. He sponsored the Madras United Artist Corp., and later the Motion Picture Producers Combine Studios. He is well informed on every phase of the industry throughout the world, and believes the cameramen are of utmost importance to the success of any motion picture. His speech before the ASC members and guests was most impressive.

Art director M. R. Acharekar is the author of a number of books on art and he also founded the Art Academy in Bombay in 1945. Acharekar was commissioned by Lord Wellington, when the later was Viceroy to India, to record Jubilee Celebration of King George V.

Minoo Katrak joined the sound recording department of Famous Cine Laboratory in Bombay in 1948, as recording director. Since then he has specialized in music recording for most of the motion pictures made by Indian independent film producers. As music predominates in most of the Indian pictures, Katrak is one of the industry's busiest men.

Producer-exhibitor B. N. Sircar established New Theatres Ltd. in Calcutta

in 1930, and has held important posts in nearly all Indian motion picture trade organizations. He was also a member of the 1949-50 Film Inquiry Committee, appointed by the Government of India.

During the Indians' visit, they were also hosted by each of the major studios of Hollywood in day-long tours of sound stages and at luncheons. Officially welcoming the visitors to Hollywood were Y. Frank Freeman, board chairman of the American Motion Picture Producers Association, and Frank Capra who recently spent eight weeks in India representing the United States at the Indian International Film Festival.

VARIABLE SHUTTER

(Continued from Page 484)

of three swivelling bars and a control handle and other miscellaneous parts, form the unit for advancing or retarding the auxiliary shutter disk.

The accompanying illustration shows modification of exterior of the Bolex H-16 camera with the adjustment lever, indicated by the arrow A, protruding and operating in a slot, and the scale plate which shows the range of shutter opening from closed, to 1/4, 1/2, 3/4 and full open.

By proper setting of the lever, the following range of shutter speeds may be obtained:

SHUTTER SETTING	OPEN	3/4	1/2	1/4
8 frames per sec.	1/18 Sec.	1/26	1/35	1/70
16 " " "	1/35 " "	1/53	1/70	1/140
24 " " "	1/53 " "	1/70	1/105	1/210
32 " " "	1/70 " "	1/105	1/140	1/280
64 " " "	1/140 " "	1/210	1/280	1/560

Altering the shutter opening changes the amount of light reaching the film and therefore changes the exposure. In order to obtain the same exposure while increasing the shutter speed, the lens stop is increased. The procedure is reversed when decreasing the shutter speed.

For the benefit of Bolex camera owners who may be interested in the installation of a variable shutter in their cameras, Tullio Pellegrini has prepared a comprehensive booklet explaining his installation and describing in detail how various effects are achieved through its use. Address him at 1545 Lombard Street, San Francisco 23.

Color In Newsreels

The American Newsreel, which is devoted entirely to events of interest to Negroes, will include one sequence in color in its reels starting October 15, according to *Showman's Trade Review*. Eastman negative-positive color film will be used and in the initial presentation will show Colored America at Atlantic City.

CLASSIFIED ADVERTISING

RATES: 10c per word—minimum ad \$1.00. Words set in capital letters, 15c per word. Display format 90c per line.

STUDIO & PRODN. EQUIP.

MORE SPECIALS FROM S. O. S.

HIGH SPEED AUTOMATIC 16MM REVERSAL PROCESSOR, 11 stainless steel tanks, complete. Easily converted to color. \$15,000.00 replacement cost. Almost new	\$6,000.00
MAGAZINE ADAPTION FOR AURICON Cinevoice w/footage counter, extra motor, etc. 400'	495.00
1200'	995.00
B & H SPECIALIST Camera w/3 lenses; 2 finders; 2 motors; 2 mags. \$3,000 value	1,995.00
MITCHELL FRICTION Freehead	325.00
WALL MOVIE TONE 35mm Single System outfit, \$7,000 value	3,995.00
APEX 16MM SOUNDHEADS compl. for film phonos.	39.50
DEPUE 35MM PRINTERS, hi-speed double head sound and pix. Original cost \$8,000. Rebuilt	2,950.00
DUPLEX 35MM STEP PRINTER with light changers	495.00
W. E. MOVIE LAS 35mm Composite Sound. Rebuilt	595.00
AMPRO Synchronous Sound Projector for scoring	395.00
TV MOVING BACKGROUND Arc Projector, 30 fps	2,450.00
BODDE 8'x10' BACKGROUND SCREEN w/frame, \$300 value	175.00
FEARLESS SINGLE SYSTEM 16mm Sound Camera w/lens, turret, dissolve, 4 mags, pilot pins, rackover, 2 motors, Maurer galvo. \$8,000 value	3,995.00
5000 Watt SUN SPOTS on rolling stands	49.50
35MM Negative Film Perforator complete	467.50
CONVERTERS 12V/110V AC, 200 watts for recorders, etc.	99.50

CASH PAID FOR USED EQUIPMENT
TRADES TAKEN

S. O. S. CINEMA SUPPLY CORPORATION

Dept. f Cable: SOSOUND
602 W. 52nd Street, New York 19

FOR SALE

WALL 35mm SINGLE SYSTEM SOUND CAMERA, refinished, like new, guaranteed. Complete with 40, 50, 75 and 100mm F2.3 coated lenses; Modulte galvanometer; Auricon amplifier complete with microphone, necessary cables, mike tripod, camera tripod, erect image view-finder; two 1,000-foot magazines. \$7,000. CAMERA EQUIPMENT COMPANY, 1600 Broadway, New York 19, N.Y.

BASS . . . Chicago. Cinema headquarters for 42 years offers money saving buys in guaranteed used equipment. Like new late model RT-80 16mm Auricon sound recorder, portable veeeder root footage counter, 200 ft. capacity, daylight loading, synchronous 60-cycle AC motor, complete with model NR-24 reduction amplifier, microphone, 2 battery headphones, all connecting cables, and instructions. List \$862.00. Net \$365.00. Like new Model PS-21 Auricon portable supply unit with 12V non-spill aircraft battery, rotary converter, frequency meter of 60 cycles. List \$269.50. Net \$175.00. Equal to new Cine special II, 1" F:1.4 Ektar \$725.00; B & H 70DA, 1" F:1.9 Lumax foc. mt., 15mm F:2.7 Kodak W.A. foc. mt., 4" Wollensak foc. mt., Case \$315.00. Best buys . . . best trades always. BASS CAMERA CO., Dept. 179 W. Madison St., Chicago 2, Ill.

Bell & Howell 35mm. Standard Perforator tools; some new, some slightly used:

- 6 — Punches
- 15 — Pilots
- 8 — Dies Complete

BEST OFFER

ALPINE CAMERA CO.,

4119 W. North Avenue Chicago 39, Ill.

PROCESSING MACHINES AND PARTS. All sizes film rollers in stock. Chemical pumps, Mixing tanks, new and used.

METAL MASTERS

Division of Wall Laboratories
4584 68th St., San Diego 15, Calif.

FOR SALE

OUR PRODUCTION schedule for next year precludes use of 16mm original so we are regretfully offering our pet camera for sale. This latest model Maurer is a beautiful piece of jewelry and has had loving care. Little used, it is guaranteed to be in first class condition from original owners. The complete outfit is comprised of the following: Maurer Professional 16mm camera, carrying case, 400-ft. magazine, optical viewfinder, combination sunshade and filter holder, 110 v. sync motor, 12 v. 24-frame motor and the following lenses: 1-inch f:1.4 with 15mm adapter, 40mm f:1.6, 102mm f:2.7; each lens coated and tested by actual use. All Ektars with C mounts. Also 2 83 filters for Commercial Kodachrome in glass mount. Heavy CECO TV tripod with oil smooth friction head especially balanced for camera, leather boot for tripod and a CECO hi-hat. Inspectable New York by appointment. Price \$4,120.00, less than cost of basic camera.

CASE FILE, INC.

14 East 64th St., New York Te 8-2035

BELL & HOWELL Specialist—like new—Rackover—4 lens turret—17mm F2.5 Super Comat—25mm F1.5—T.H. Cooke—50mm F1.4 T.H. Cooke—100mm F4.5—T.H. Cooke—Upright viewfinder—Matte box—110v. Sync. Motor—Two 400-ft. magazines—carrying case—\$2,350.00. Blimp for above with follow focus—custom built by Bell & Howell \$600.00. Box 1161 AMERICAN CINEMATOPHOTOGRAPHER.

AUDIO AKELEY single system sound camera complete with Akeley sound head, Gyro tripod, 3 lenses, view finder, Maurer mixing amplifier. Complete with cables, power supply and W. E. microphone. CAMERA EQUIPMENT CO., 1600 Broadway, New York 19, N.Y. Cable Cinequip.

WE BUY, SELL AND RENT PROFESSIONAL AND 16mm. EQUIPMENT, NEW AND USED. WE ARE DISTRIBUTORS FOR ALL LEADING MANUFACTURERS. RUBY CAMERA EXCHANGE, 729 Seventh Ave., New York City. Established since 1910.

HALLEN B-22 Sync. Magnetic Recorder, 17 1/2 Sprocket mag., film at 90 ft. per minute, R.C.A. Mike, used very little, cost new \$2,050.00, sell for \$1,450.00. Box 1162, AMERICAN CINEMATOPHOTOGRAPHER.

16MM HOUSTON processing machine. Model K1A. Like new. List \$5,500.00. Bargain at \$3,500.00. CAMERA EQUIPMENT CO., 1600 Broadway, New York 19, N.Y.

WANTED

WANTED TO BUY FOR CASH

CAMERAS AND ACCESSORIES

MITCHELL, B & H, EYEMO, DEBRIE, AKELEY ALSO LABORATORY AND CUTTING ROOM EQUIPMENT

CAMERA EQUIPMENT COMPANY

1600 BROADWAY, NEW YORK CITY 19
CABLE: CINEQUIP

IMMEDIATE CASH PAYMENT FOR

CAMERAS AND EQUIPMENT

NEED EYEMOS (SINGLE LENS AND TURRET), MITCHELLS, ARRIFLEX, DE BRIE, B&H STANDARDS AND HI-SPEEDS, WALLS, AKELEYS, CINE SPECIALS, AURICONS, MAURERS, FILMS. ALSO BALTARS, COOKES AND OTHER LENSES. SOUND STAGE, LABORATORY AND EDITING EQUIPMENT OF ALL TYPES REQUIRED. PLEASE SHIP INSURED OR FORWARD DESCRIPTIONS AIR-MAIL. IMMEDIATE PAYMENT.

GORDON ENTERPRISES • 5362 N. Cahuenga
NORTH HOLLYWOOD, CALIFORNIA

WE'RE ON THE LOOKOUT FOR

Auricon Pros, Maurer 400' magazines, 16mm Movielas, B & H Printers, Maurer Recorders. WE'LL TRADE OR TAKE CONSIGNMENTS SET YOUR OWN PRICE—WE'LL GET IT

Western Union Private Wire—WUX New York

S. O. S. CINEMA SUPPLY CORPORATION

Dept. f Cable: SOSOUND
602 W. 52nd Street, New York 19

WANTED

WANTED

All 16-35mm production equipment from camera to screen. Laboratory and editing equipment, single items to complete studios. Will accept used equipment in trade.

THE CAMERA MART, INC.

1845 BROADWAY NEW YORK 23, N.Y.

WANTED

Mitchell — Akeley — B & H — Wall — Eyemo
Cameras — Lenses — Equipment

NATIONAL CINE EQUIPMENT, INC.

209 West 48th St., New York, N.Y.

WANT LATE V. Area turret Auricon density Auricon Recorder. R. E. MATHEWSON, 2211 Balsam, Los Angeles 64, Calif. ARIZ. 7-9830.

LABORATORY & SOUND

SOUND RECORDING at a reasonable cost. High Fidelity 16 or 35. Quality guaranteed. Complete studio and laboratory services. Color printing and lacquer coating. ESCAR MOTION PICTURE SERVICE, INC., 7315 Carnegie Avenue, Cleveland 3, Ohio. Phone ENdicott 1-2707.

16M/M REVERSAL PROCESSING black and white only. \$3.00 per hundred feet. Equipment handles 1,000 feet per hour of high speed film. High standard of quality. SOUNDEX MOTION PICTURES, 319 THUSS AVE., NASHVILLE 11, TENN.

SLIDES, PHOTOS & FILMS

NATURAL COLOR SLIDES, Scenic, National Parks, Cities, Animals, Flowers, etc. Set of eight \$1.95. Sample & List 25c. SLIDES - Box 206, La Habra, California.

FRUSTRATED FOTOGRAPHERS! Fill the gaps in your vacation Kodachrome record. Choose from 1,000 travel scenes. Free List, sample, 30c. Write today. KELLY I. CHODA, Box 5, Los Alamos, New Mexico.

CAMERA & SOUND MEN

16 M/M cameraman available for coverage of Southern territory. Twenty years experience as 16mm photographer, editor and sound recording. industrial and Medical. MARCUS WHITAKER, 319 Thuss Ave., Nashville 11, Tenn.

NEW ENGLAND — assignments or production, sound, 16 and 35mm equipment. SAMUEL KRAVITT, 1096 Chapel St., New Haven, Conn.

◀ Here . . .

on this page, you'll find

BARGAINS GALORE

in

New and Used Equipment

of all kinds

A Good Place For YOU

to Sell, too!

RATES ARE LOW—ONLY

10c per word

American Cinematographer HANDBOOK

Source of QUICK ANSWERS to such questions as: "What is the angle of view of my 25mm. lens?" "What's the depth of focus of my 50mm. lens at 12 feet?" "How much film will a 30 second take consume at 24 f.p.s.?" "What's the Weston daylight rating of Ansco Ultra-Pan negative?" "What stop shall I use to shoot at 8 f.p.s. if exposure at 16 f.p.s. is $f/4.5$?" And thousands more! A hand book that's a must for every motion picture cameraman, professional or amateur.

Price **\$5.00** Postpaid

AMERICAN CINEMATOPHGRAPHER
1782 No. Orange Dr.
HOLLYWOOD 28, CALIFORNIA

STATEMENT REQUIRED BY THE ACT OF AUGUST 24, 1912, AS AMENDED BY THE ACTS OF MARCH 3, 1933, AND JULY 2, 1946 (Title 39, United States Code, Section 233) SHOWING THE OWNERSHIP, MANAGEMENT, AND CIRCULATION OF

AMERICAN CINEMATOPHGRAPHER, published monthly at Los Angeles, California for October 1, 1952.

1. The names and addresses of the publisher, editor, managing editor, and business managers are:

Publisher, A.S.C. Agency, Inc., 1782 N. Orange Dr., Hollywood 28, Calif.; Editor, Arthur E. Gavin, 1782 N. Orange Dr., Hollywood 28, Calif.; Managing editor, Arthur E. Gavin, 1782 N. Orange Dr., Hollywood 28, Calif.; Business manager, M. R. Duerr, 1782 N. Orange Dr., Hollywood 28, Calif.

2. The owner is: (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual member, must be given.) A.S.C. Agency, Inc., 1782 N. Orange Dr., Hollywood, Calif., wholly owned by the American Society of Cinematographers, Inc., a non-profit corporation whose address is 1782 N. Orange Dr., Hollywood, Calif. Officers of the American Society of Cinematographers, Inc., are: President, Charles G. Clarke, 1782 N. Orange Dr., Hollywood, Calif.; 1st Vice President, Arthur Edson, 1782 N. Orange Dr., Hollywood, Calif.; 2nd Vice President, Victor Milner, 1782 N. Orange Dr., Hollywood, Calif.; 3rd Vice President, Lee Garmes, 1782 N. Orange Dr., Hollywood, Calif.; Exec. Vice President, Fred W. Jackman, 1782 N. Orange Dr., Hollywood, Calif.; Treasurer, Wm. V. Skall, 1782 N. Orange Dr., Hollywood, Calif.; Secretary, John W. Boyle, 1782 N. Orange Dr., Hollywood, Calif.; Sergeant-at-Arms, Milton Krasner, 1782 N. Orange Dr., Hollywood, Calif.

3. The known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities are: (If there are none, so state.) None.

4. Paragraphs 2 and 3 include, in cases where the stockholder or security holder appears upon the books of the company as trustee or in any other fiduciary relation, the name of the person or corporation for whom such trustee is acting; also the statements in the two paragraphs show the affiant's full knowledge and belief as to the circumstances and conditions under which stockholders and security holders who do not appear upon the books of the company as trustees, hold stock and securities in a capacity other than that of a bona fide owner.

5. The average number of copies of each issue of this publication sold or distributed, through the mails or otherwise, to paid subscribers during the 12 months preceding the date shown above was: (This information is required from daily, weekly, semiweekly, and triweekly newspapers only.)

ARTHUR E. GAVIN
Editor

Sworn to and subscribed before me this 27th day of September, 1952.

(Seal)

C. K. Buchanan
Notary Public

(My commission expires October 10, 1952.)

WHAT'S NEW

in equipment, accessories, service

TRADE NOTES — Glen Glenn Sound Co.,

Hollywood is among the nine foreign and domestic companies signing recording licensing agreements with Westrex Corporation . . . Photo Research Corp., Burbank, will supply Consolidated Film Industries with densitometry equipment for CFI's new 16mm film lab . . . T. J. Hargrave, chairman of the board of Eastman Kodak Company, Rochester, N. Y., celebrated his 25th anniversary with the company last month. Hargrave is youngest man ever to attain position of board chairman with Kodak . . . "Bwana Devil," Hollywood's first 3-dimension

color production, features magnetic sound recorded on Stancil-Hoffman equipment, has been selected by Notre Dame University's Audio Visual Center to process its football films . . . Kadisch Camera and Sound Equipment Co. has moved to new quarters at 500 West 52nd Street, New York City . . . Frank Zucker, head of Camera Equipment Company, was in Hollywood last month on business. Among the new motion picture equipment which he contracted to distribute in the east is the new Kinevox automatic scene slater, has also set up servicing of the equipment for east coast buyers . . . Ansco's Boston District office has moved to new and expanded quarters at 80 Federal Street, Boston. L. H. Purcell is district manager . . . Dr. Martin L. Klein, former faculty member of Pennsylvania and Stanford Universities, has joined the technical staff of Stancil-Hoffman Corp., Hollywood . . . Benjamin Berg Agency, U.S. distributor for Eclair cameras, expects soon to have the new Eclair 35mm studio camera available for delivery from Hollywood. Camera features through-the-lens viewer, same as the Camerette.

Sno-Gel Ice, a gel-like compound produced from a mixture of processed powder and water and encased in a flexible plastic bag, may be frozen solid in an ordinary refrigerator then used to refrigerate a wide range of perishables, including motion picture film. It is finding wide use in the film industry as a refrigerant for films transported in tropical countries. It is said to be simpler to use than dry ice, and is completely free of moisture. When Sno-Gel Ice melts, it remains in its waterproof container, may be quickly re-frozen, used over and over again. Distributor is Sno-Gel, Inc.,

10715 East Daines Dr., Temple City, Calif.

Humidifying Equipment — Abbeon Supply Co., 179-15 Jamaica Ave., Jamaica, N. Y., makers of industrial humidifiers, offers free to AC's readers, a comprehensive booklet entitled "A Few Facts About Humidification." Company makes humidifying equipment having many applications in the motion picture industry.

Mitchell Camera Company, 666 West Harvard St., Glendale 4, Calif., announces that recently increased production of its professional 16mm cameras now permits company to make deliveries within a 30-day period. Stepped up production is due to demand for Mitchell "16s" by Government Armed Forces.

Processing Of Foreign Films — Cine cameraists having foreign brands of 8mm and 16mm films requiring processing in this country, may secure this service from General Photographic Supply Co., 136-140 Charles St., Boston 14, Mass. Cost per roll is as follows: Dufaycolor, \$1.50; Agfacolor (neg-pos) Ferrania-color, Fujicolor, Gevacolor, Ilfordcolor, Lumierecolor, Pakocolor, Sakuracolor, Telecolor, etc., \$3.50 per roll. Company also offers to supply prints of frame enlargements of such films at moderate cost. Payment in advance must accompany all orders.

TV Film Titles — Ray Mercer & Company, 4241 Normal Ave., Hollywood 29, Calif., has expanded its title department to better serve the increasing demand for titles for television films, a specialty of the company.

REVIEWS

(Continued from Page 470)

Greene, said to be the inventor of the first motion picture camera. Cardiff's real talents come to the fore in his execution of the low key shots of Friese-Green in his film laboratory, and again with his candid camera shots at the carnival preceding the introduction of the first showing of moving pictures there.




Cauldron boil . . . and kettle bubble . . .

Difficult though they may be, situations like these do come off; thanks to the care with which film and chemicals are keyed to specific photographic situation and production methods; thanks, also, to the rigid control of processing solution strength and temperature.

In this area—in production, distribution, and exhibition, too—representatives of the Eastman Technical Service for Motion Picture Film are proud to serve the industry.

To maintain this service, the Eastman Kodak Company has branches at strategic centers . . . invites inquiry from all members of the industry. Address: Motion Picture Film Department, Eastman Kodak Company, Rochester 4, N. Y. *East Coast Division*, 342 Madison Avenue, New York 17, N. Y. *Midwest Division*, 137 North Wabash Avenue, Chicago 2, Illinois. *West Coast Division*, 6706 Santa Monica Blvd., Hollywood 38, California.



Now you can make low-cost sound movies

Now Bell & Howell brings the making of sound movies within *your* reach. Here is the new 16mm Filmosound 202 — not just a sound movie projector — not just a magnetic sound recorder — but a combination of both for making and showing sound movies. You need no expert knowledge, no costly professional equipment.

With the Filmosound 202, narration and sound effects to accompany the film can be recorded just the way you

want them . . . while all details are fresh in your mind. Changes in the sound can be made when and as often as you want them. Only with magnetic sound movies is this possible at but the cost of the film and SOUNDSTRIP.

Now you can add sound to old silent films . . . new sound to a film with an obsolete sound track. Use coupon for full details on magnetic sound movies and the new Filmosound 202. Or see your Bell & Howell dealer today!



Record voice and sound effects, and mix voice with musical background, as picture is projected. All recording errors can be easily and quickly corrected. Magnetic recording will last for life of the film, yet can be changed instantly.



You're ready to project movies with sound immediately after you record. Later, to change the sound, erase and record again in one simple step. Remember, your Filmosound 202 will project any 16mm film, silent or sound.

the sensational, new 16mm

Filmosound "202"

RECORDING PROJECTOR

Guaranteed for life: During the life of the product, any defect in material or workmanship will be remedied free (except transportation).

You buy for life

when you buy

Bell & Howell

Bell & Howell Company,
7148 McCormick Road, Chicago 45, Illinois

Please send me without cost or obligation full information on making low-cost sound movies with the new Filmosound 202.

Name

Address

Organization (if any)

City County State